

Contura

FREESTANDING STOVES



Stoves for all homes





There is nothing cosier than a real fire.

Anyone who lives where there is an autumn, winter and spring knows this. But the heat from a fire is not just a cosiness factor that triggers deep feelings of safety and community. It is also a sensible and modern solution that maximises both your and nature's resources.



Light with a clear conscience. All of our stoves have the Swan eco-label.
Read more on page 24.

A stove from Contura will spread warmth and cosiness in your home for many years to come. Therefore you should choose carefully. We make Contura for those who appreciate good design, intelligent functions and a wide choice. We make stoves for those who choose with the heart and the head.



See more of the fire. The symbol for fire visibility indicates how much of the fire the stove shows.
Read more on page 27.





It is quite simply, quality of life.

Contents

Welcome to our warm homes!

Allow yourself to be inspired by some warm, comfortable homes	8-23
Light with the environment in mind	24

Choose the right stove

Which Contura are you?	26
Flame visibility	27
To bear in mind	28
Good stove characteristics	29

Product information

Stoves	30
Soapstone stoves	46
Tiled stoves	58
Cast iron stoves	62
Accessories	66
Facts about all stoves	72
Dimension diagrams	80
Good heat retention	92
Efficient combustion	93
Lighting in the right way	94

“We wanted to see
the fire from both
the kitchen and the
living room.”



“When we renovated we ripped out the old open hearth. We wanted to have the fireplace in a different location in our new, open plan solution. The stove shows the fire from three directions and is perfect both when reading homework and relaxing on the sofa.”


Read more about Contura 556 on page 36.

"We love to relax, so the stove took the leading role."



Visit the home of a family that have just built their Scandinavian dream home. They planned several creative and cosy solutions, including a stove in the heart of the house. The stove radiates modern design, atmosphere and heat. Their teenagers, dog, family and friends gather around it for everything from everyday relaxation to fortieth birthday parties.

Read more about Contura 590 on page 31.



“We live as close to
nature and the forest
as we can.”

Come and look at the house of a young couple who live close to the fire and to nature. When they renovated the old schoolhouse it was important to be careful both with their own and the earth's resources. To minimise energy consumption, they heat the house using two highly efficient stoves. They have a warm and cosy home with a lot of character. Being able to chop their own wood, stack it against the house walls and then use it to keep the fire burning, further enhances their quality of life.

Read more about Contura 660K on page 61.

“We heat and defrost food in the stove to save energy.”



Two large stoves give plenty of heat to the spacious rooms. The tiled stove suits the kitchen's rustic style and the baking oven is an excellent complement to the oven and microwave. To extract the most possible heat and obtain a furniture feel in the living room they chose a soapstone stove. They think that the grey marbled stone gives the stove an individual and natural feel. The stone cools slowly and provides heat long after the fire has gone out.

Read more about Contura 660T on page 56.



"We like going barefoot indoors, so it must be warm at floor level as well."

"Old houses are charming and interesting, but one can't escape the fact that they are sometimes a bit chilly. We needed a stove that both maintained the heat for a long time and spread it throughout the house. Our stove has a heat tank, soapstone front and damper. It is really efficient!"

Read more about Contura 26 on page 48.



reddot design award
CONTURA 35T

"The fire
should be like
a Beethoven
symphony!"

"We just love our stove! We love the majestic statement it makes in the room, opening the senses and awakening the emotions. The flame follows us, the glass details are that contrast which gives the overall harmony and the stone holds the heat for ages. Has it won awards? We are not surprised!"

Read more about Contura 35T on page 51.



"Stress? No, not when one sees the fire."

"It is so relaxing with a real fire... The fire occupies the whole room thanks to the large glass areas, there is a wonderful glow. I run my own company and work very hard, therefore it is important that my home is an oasis. A lot of good ideas have been produced while sitting in the calm by the fire, it makes me relax."

Read more about Contura 480T on page 53.



Lighting the stove is a friendly way of saying "Welcome, come on in!"

"We immediately saw that this striking aluminium stove with its large expanses of glass would be perfect in our home. It has an extremely attractive design and lets the fire play the main role. It's great because we have a large open plan area between the kitchen, dining and living room - actually it is one single room that the stove ties together nicely.

Read more about Contura 750A on page 45.

Light with the environment in mind

Everything we do has an impact on the environment in some way. Today, we often have the opportunity to influence to what extent. One way to contribute to a reduced environmental impact when choosing a stove is to look out for the Swan label.

Stringent requirements are placed on the manufacture and use of Swan labelled stoves. Therefore, the product can be recycled without the spread of toxic substances.

The requirements for efficient combustion are also high. It is during combustion that unhealthy particulates and hydrocarbons are formed. Contura stoves have a combustion efficiency that puts them below the permitted limits, provided that you light properly. Learn more about how to light effectively and with most efficiency at www.contura.eu. It is the best for you and the environment.

A Swan labelled stove is CO₂ neutral, because the carbon dioxide produced during the efficient combustion of bioenergy is taken up in the corresponding quantity as new trees are growing.

By lighting, you get a natural supporting heat in the house, which relieves the load on the house's main heating. It benefits both you and the environment.



The Swan is a Nordic eco-label issued by Ecolabelling Sweden. All Contura stoves are approved according to the Swan's tough standards.

Contura 750



Which Contura are you?

Contura is available in a number of models and sizes. To simplify your choice we have divided them into four groups: stoves, soapstone stoves, tiled stoves and cast iron stoves. The following pages show all models and variants from each group.

How large an area can the stove heat? What does the area where the stove is be located look like? There are different factors that determine the choice of the size of the firebox, the heating capacity as well as the size of the stove itself.

When you are clear about what suits your needs, the most important thing remains:

To choose a stove that is easy on the eye and that will be a dear friend to the home for many years to come.



Stoves
Page 30



Soapstone stoves
Page 46



Tiled stoves
Page 58



Cast iron stoves
Page 62



THERE ARE LOTS OF
ACCESSORIES FOR
OUR STOVES

Read more on page 66

How much do you want to see of the fire?

Many, many Contura owners appreciate their stoves for one special property:

It shows a lot of the fire. Large front glass and generous side glass means that you can see the fire from (nearly) every angle. Look out for our symbol for flame visibility! It indicates how much of the fire the model shows.



Only front glass.



Front glass with narrow side glass.



Front glass with large side glass.



With a turn-table the fire can be seen 360°

Size first

When you have made the decision to purchase a stove it is important to think carefully about which model it should be.

Size is the most important choice - Contura has sizes ranging from the small stove for the cottage to majestic installations for large reception rooms. And everything in between.

Measure the space where the stove is to stand and check the distances to flammable materials. Calculate the size of the area that the stove is to heat. Now you know what size you should be looking for. The dimensions and heating capacities are given alongside each model.

Choose design

Stoves from Contura are appreciated because they show so much of the fire. This makes the stoves easy to position, even in confined spaces. Thanks to the large glass areas, in most models the flames can be seen from at least three sides.

The large glass areas can be found in the stoves in all shapes; round, angular, tall, low, narrow. Have a good look! We are sure that you will find the one you want.

Different materials

The material makes a up a large part of the stove's properties. The stoves heat up quickly and spread their heat only a few minutes after the fire has caught. When the fire has burned down it cools quite quickly.

The soapstone stoves have, as well as their good looks, the ability to retain heat over a long period. Heating up takes a little longer, but

when the stone has been heated after a period of being lit the heat accumulates. When the fire burns low the stone is still very hot and cools slowly – it takes several hours.

The tiled stove gives the home a light, classical and homely style. Cast iron stoves are strongly robust. In our interpretation they also have a rugged modern style.

Personal style

With our accessories you can give the stove your own personal style and adapt it to your interests and needs.

You can, for example, choose the colour, a different top plate, door, log box, baking oven, hotplate, fan, heat tank, damper, a connection to outdoor air, floor protector and much more. All accessories are made by Contura for Contura and fit the stoves perfectly. Read more about accessories on pages 66–71.



Good properties a stove needs

1 High flame visibility. Several of Contura's models have generous glass areas that display a lot of the fire. The stove is easy to position so that the flame is visible from several points in the room. Our symbol for flame visibility indicates how much flame a particular model displays.

2 Cast iron door. In order to resist the stresses that arise with the large temperature variations in the stove, the door must be made from shape-retaining cast iron.

3 Most efficient in test. The efficiency is the relationship between the energy the stove gives off and the energy that is supplied in the form of logs. Contura's stoves have an efficiency of up to 81% which is one of the highest on the market according to independent testers.

4 Swedish made and guaranteed. Contura stoves are high quality Swedish products developed and manufactured by NIBE AB. We give a five year factory warranty on all stoves.

5 Clean Burning System. The hot combustion air is flushed out onto the inside of the glass, which prevents soot build-up. This ensures that the fire is always visible in the room.

6 Powerful convection. The cool room air is drawn into the stove from underneath, is heated and rises. Just a few minutes later the hot air flows out into the room.

7 Swan labelled and CE marked. Most Contura products are certified in accordance with Miljömärkning Sverige AB's quality label – the Swan. All are CE marked, which guarantees a safe product.

8 Simple to use. Contura stoves are equipped with controls for exact power regulation that allow simple, precise combustion control. The door, grates and ashbox are also easily accessible on our stoves.

9 Flexible. Contura stoves are available in a number of variants and models. It is possible to choose the height, colour and various tops for several of the models in order to give the stove a personal touch.

10 Fan and heat retention. For maximum efficiency in heating, it is possible to choose fans and different heat retention properties for several of Contura's models.

11 Many options. Supplement the stove with one or more options such as a baking oven, warming shelf, drawer, floor protector of sheet metal or glass. A turntable makes it possible to rotate the stove for maximum flame visibility in the room.

Stoves for castles and cottages

Contura Stoves are available in a number of variants and are easy to fall in love with. Several of the models are available in at least two colours, grey and black. The most trend conscious can choose their favourite from among the aluminium models. Here there are both stoves that can be used in a tiny space and those that take a majestic position in the room.

If you want to see the maximum of the fire choose from our stoves – most of the models have really generous glass areas on three sides. The stoves have very efficient fireboxes with an efficiency of up to 81 % which is one of the highest on the market according to independent testers. For even more efficient heating choose the heat tank and/or fan for your stove.

You can easily adapt the stoves to your wishes: top disc, hotplate, log box, warming shelf in soapstone. Some of the models are available in aluminium and with a turntable the stove stands like a king in the room and lights in all directions! The stoves can be connected to chimneys both from above and from behind.

With Contura 590 the fire is raised a good way off the floor and the high door for the log box is standard.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1544 mm
Width	496 mm
Depth	438 mm
Weight	130 kg
Colour	Black, grey
Max. log	33 cm



Select options: Cast iron, steel disc or soapstone top, heat tank, fan (cannot be combined with heat tank), log box, turntable, high or low storage hatch, floor protector of glass or sheet metal, outside air connection, chimney.

CONTURA 590



CONTURA 32



Select options: Fan, cast iron base (included in purchase of fan), drawer (cannot be combined with fan), hotplate, outside air connection, chimney.

MIRRORED GLASS
GIVES THE ROOM
NEW DIMENSIONS

A beautiful centrepiece

With the tinted mirrored glass on the sides this stove gains another dimension. The fire will light up the whole room and becomes a beautiful centrepiece.

Output	5 kW
Efficiency	80%
Heats	up to 120 m²
Height	1025 mm
Width	480 mm
Depth	452 mm
Weight	128 kg
Colour	Black, grey
Max. log length	35 cm



Select options: Fan, cast iron base (included in purchase of fan), drawer (cannot be combined with fan), hotplate, outside air connection, chimney.

CONTURA 32A

A modern focal point

Combines mirrored glass and aluminium sides and you get a really high class furnishing, which you can also light a fire in! Contura 32 is designed by the young, female designers at VITRE Design.

Output	5 kW
Efficiency	80%
Heats	up to 120 m²
Height	1025 mm
Width	480 mm
Depth	452 mm
Weight	128 kg
Colour	Black, grey
Max. log length	35 cm



CONTURA 510

Select options: Cast iron, steel disc or soapstone top, fan, base plate, drawer (cannot be combined with fan), hotplate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

CONTURA 500
AVAILABLE IN MANY
VARIANTS

No home or space is too small for a wood burning stove

The basic model in the 500 range is compact, easy to position and made of painted metal. With a top connected chimney and floor plate, the stove takes up very little space in your home but heats large areas. Greatest efficiency is achieved by adding an optional fan.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm



CONTURA 450

Select options: Additional side glass, fan, floor protector in white, grey or black sheet metal, outside air connection, chimney.

Heat retention in the stove cover

The heat retention in the soapstone together with the heat tank in the cover gives off heat for several hours. Contura 450T has glass on three sides, and soft round lines. Glow of the fire spread throughout the room. The large glass sections reinforce the feeling of warmth. Available in black, white or grey.

Output	6 kW
Efficiency	80%
Heats	up to 150 m²
Height	1195 mm
Width	640 mm
Depth	550 mm
Weight	182 kg
Colour	Black, white, grey
Max. log length	39 cm

Large glass surfaces in the sides

The glass surfaces give a wonderful view into the fire. The efficient firebox and heat tank in the cover also produce good heat in the event of a power cut. A perfect choice for those that value classic design and technical excellence. Available in black, white or grey.

Output	6 kW
Efficiency	80%
Heats	up to 150 m²
Height	1195 mm
Width	640 mm
Depth	550 mm
Weight	164 kg
Colour	Black, grey, white
Max. log length	39 cm

450

450T

510



CONTURA 450T

Select options: Additional side glass, fan, floor protector in white, grey or black sheet metal, outside air connection, chimney.



CONTURA 556

Select options: Cast iron, steel disc or soapstone top, fan, base plate, storage compartment, hotplate, turntable, lower hatch, floor protector in glass or sheet metal, outside air connection, chimney.

Large areas of side glass give the impression of an open fire

A stove with large areas of side glass is perfect for combining areas in open plan solutions. Position it between the dining area and the living room and the fire can be seen both while eating and when relaxing on the sofa!

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1080 mm
Width	495 mm
Depth	440 mm
Weight	105 kg
Colour	Black, grey
Max. log length	33 cm



CONTURA 550

Select options: Cast iron, steel disc or soapstone top, fan, base plate, drawer (cannot be combined with fan), hotplate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

Bright flames and smoked glass in contrast

The wood burning stove with toughened glass sides is a discrete and contemporary stove that can blend in well with the contemporary design details in your home. You can choose between steel grey and black glass. The gloss of the glass gives a lively surface that reflects light and shapes in the room.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm

See the fire and feel the atmosphere everywhere in the room

If you have a stove with side glass you don't have to sit on the sofa to enjoy the glow of the fire. The light and atmosphere of the fire is spread around the entire room. If you opt for a log box under the stove, you always have wood at room temperature and easy to light. The alternative is an attractive plinth or a practical drawer.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm



CONTURA 570

Select options: Steel grey or black glass surround, fan, base plate, drawer (cannot be combined with fan), hotplate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.



CONTURA 550A

Select options: Fan, aluminium base plate, drawer (cannot be combined with fan), hot plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

STYLISH LOOK WITH MATCHING BASE

A stove for those who enjoy family life and modern design

Brushed aluminium and stainless steel make the attractive wood burning stove a contemporary interior décor item. More importantly, perhaps, it enhances the quality of your life as well as the heat in your home.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm



CONTURA 585

Select options: Cast iron, steel disc or soapstone top, hotplate, turntable, floor protector in glass or sheet metal, outside air connection, chimney.

DIRECT THE FIRE TOWARDS THE SEATING AREA USING THE TURNTABLE!

Display the best you have in the centre of the room

A stove with a pillar and side glass is even more attractive and easy to position, plus the fire is easier to see. This model, therefore, blends in really well when positioned in the middle of the room, where the fire can throw heat and light upon everyone around the stove.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1040 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm



The fire is most visible when higher up

There is a difference of a little over ten centimetres between the tall and short pillars. This, together with the side glass, means that the fire is always in sight of everyone, even if the room is large. It is also easier to feed the fire with more wood when the stove is positioned a little higher as well.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1156 mm
Width	496 mm
Depth	438 mm
Weight	100 kg
Colour	Black, grey
Max. log length	33 cm

- 550A
- 580
- 585



CONTURA 580

Select options: Cast iron, steel disc or soapstone top, hotplate, turntable, floor protector in glass or sheet metal, outside air connection, chimney.



CONTURA 586



Select options: Cast iron, steel disc or soapstone top, hotplate, turntable, floor protector in glass or sheet metal, outside air connection, chimney.



The flames can be seen and felt from the dining room to the terrace

A colourful mix of old and new lends charm to the newly-renovated holiday home. The wood-burning stove stands in a prominent place, rather like a sculpture. The Contura 586 is black and compact. The visible flames create a soothing ambience and heat the brisk sea air that enters through the wide-open doors in the spring and summer months.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1160 mm
Width	495 mm
Depth	440 mm
Weight	110 kg
Colour	Black, grey
Max. log length	33 cm

CONTURA 650



Select options: Cast iron, steel disc or soapstone top, warming shelf in steel or soapstone, baking oven, fan, hotplate, drawer (cannot be combined with fan), base plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

586

650



A large room needs a powerful stove

The basic model in the 600 range is an efficient stove in painted metal with a larger firebox and greater output than the 500 range. This means that the actual stove and glass door are bigger, likewise the fire experience. With the wood being close to hand, the fire can be kept going easily and the heat retained.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1200 mm
Width	555 mm
Depth	480 mm
Weight	150 kg
Colour	Black, grey
Max. log length	36 cm



CONTURA 655A

TOP THE STOVE
IN YOUR
PERSONAL STYLE!
SEE OPTIONS

Select options: Warming shelf in aluminium, baking oven, fan, hot plate, drawer (cannot be combined with fan), base plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

There is a stove that is suitable for the Scandinavian light.

The aluminium wood burning stoves are especially designed to blend into rooms with contemporary details and stainless steel surfaces. For example, if you have an open-plan kitchen and living room, the stove blends well into both environments. The side glass means that you can see the fire from many angles.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1200 mm
Width	555 mm
Depth	480 mm
Weight	150 kg
Colour	Black, grey
Max. log length	36 cm



CONTURA 655

Select options: Cast iron, steel disc or soapstone top, warming shelf in steel or soapstone, baking oven, fan, hotplate, drawer (cannot be combined with fan), base plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

An efficient fireplace on a pillar

A powerful firebox, large glass door and side glass enable the pillar stove to heat large areas and spread light from the fire throughout the entire room. The pillar gives the stove a compact and attractive appearance, making it suitable for the middle of the room as well as against a wall. Add extra equipment that makes your stove even more practical.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1260 mm
Width	555 mm
Depth	480 mm
Weight	150 kg
Colour	Black, grey
Max. log length	36 cm

Materials and details that suit your lifestyle.

The wood burning stoves in the 600 range are available with lots of different options, but this model includes side glass enabling the fire to be seen from several directions. Useful options such as a cast iron top, warming shelf and black steel drawer give a uniform look. With the soapstone top and shelf, heat is retained for longer.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1200 mm
Width	555 mm
Depth	480 mm
Weight	150 kg
Colour	Black, grey
Max. log length	36 cm

655

655A

685



CONTURA 685

Select options: Cast iron, steel disc or soapstone top, warming shelf in steel or soapstone, baking oven, hotplate, turntable, floor protector in glass or sheet metal, outside air connection, chimney.



CONTURA 780

Select options: Turntable, soft-close door, floor protector in glass or sheet metal, outside air connection, chimney.

Fire for a new generation

We are taking the step into a new decade with the Contura 700 range.

The contemporary design, by the renowned Swedish design group Myra, makes the stove an obvious focal point in all rooms - without taking up much floor space. Place the stove on a pillar and see even more of the already widely visible fire.

Output	5 kW
Efficiency	80%
Heats	120 m²
Height	1200 mm
Width	459 mm
Depth	372 mm
Weight	103 kg
Colour	Black, grey
Max. log length	30 cm



CONTURA 750A

Select options: Soft-close storage door, floor protector in glass or sheet metal, outside air connection, chimney.

STORAGE BEHIND A SOFT-CLOSE DOOR

Let the stove shine

A high mounted firebox and very generous glass areas make this stove the burning heart of your home, wherever it is.

Output	5 kW
Efficiency	80%
Heats	up to 120 m²
Height	1151 mm
Width	459 mm
Depth	372 mm
Weight	103 kg
Colour	Black, grey
Max. log length	30 cm



For those who want to stand out

Aluminium gives a really interesting contrast to the glow of the flames. If you want something that feels trendy not just now but for many years to come Contura 750A is an obvious choice. Both sides and rear are clad in aluminium which makes it even more attractive for positioning in the middle of the room.

Output	5 kW
Efficiency	80%
Heats	up to 120 m²
Height	1151 mm
Width	459 mm
Depth	372 mm
Weight	103 kg
Colour	Black, grey
Max. log length	30 cm

- 750
- 750A
- 780



CONTURA 750

Select options: Soft-close storage door, floor protector in glass or sheet metal, outside air connection, chimney.

Soapstone stoves give maximum heat for longer

Soapstone stoves produce and store heat at maximum output. The soapstone's long cooling time means that the heat becomes more even and lasts longer. Supplement with a baking oven, it is nice to use can be very useful in the event of a power cut. If you select one of our larger models you will not need to get up in the middle of the night to load logs if your normal heating does not work.

Contura soapstone stoves are available in several sizes. A small soapstone model covers the heating requirements of a cottage or holiday home. The larger models can be supplemented with an olivine heat tank. This solution is very efficient for heating large open areas with high ceilings. With a fan you get an extra kick to the hot air, the heat spreads rapidly and effectively from room to room.

Contura 560T combines many good things: quick heating, good flame visibility and heat storage.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	536 mm
Depth	458 mm
Weight	145 kg
Colour	Black, grey
Max. log length	33 cm

LET THE HEAT STAY
FOR LONGER

Select options: Fan, hot plate, drawer (cannot be combined with fan), base plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.



560T

SOAPSTONE STOVES

47

CONTURA 560T

CONTURA 26T high baking oven



Select options: Fan, baking oven, extra heat tank, floor protector in glass or sheet metal, outside air connection, chimney.

HIGH FLAME
VISIBILITY AND A
LOT OF HEAT

Combine the use with the smell of freshly baked bread

Equip the soapstone stove with a baking oven! The high model gives a real heating boost to the house. With a baking oven the heat is exploited to the full. Buns, pizza or pies can be beautifully baked. You can keep an eye on the temperature using the thermometer supplied with the oven.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1622 mm
Width	582 mm
Depth	462 mm
Weight with baking oven	480 kg
Colour	Black, grey
Max. log length	40 cm

CONTURA 26T low



Select options: Fan, floor protector in glass or sheet metal, outside air connection, chimney.

A stove for those who want real heat

An extra olive heat tank in the high Contura 26T gives a cooling down period of up to 18 hours! Read more on page 92.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1622 mm
Width	582 mm
Depth	462 mm
Weight	470 kg
Weight with heat tank	590 kg
Colour	Black, grey
Max. log length	40 cm

Spread the heat through the whole house

Contura 26T low has an integrated heat tank and can be equipped with a fan that effectively spreads the heat from room to room.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1312 mm
Width	582 mm
Depth	462 mm
Weight	420 kg
Colour	Black, grey
Max. log length	40 cm

CONTURA 26T high



Select options: Fan, baking oven, extra heat tank, floor protector in glass or sheet metal, outside air connection, chimney.

CONTURA 34T



Select options: Fan, heat tank (cannot be combined with fan), floor protector of glass or sheet metal, outside air connection, chimney.

EFFICIENT
CONVECTION
SYSTEM

Fire and heat in full majesty

The refined proportions and well thought out design of Contura 34T give a discrete and majestic impression. With a 70 kg olivine heat tank and adjustable damper the heat is spread quickly and is stored for a long period, up to 12 hours if the damper is closed. The generous glass area shows a lot of the fire. The Clean Burning system keeps the glass clean.

Output	5 kW
Efficiency	80 %
Heats	up to 120 m²
Height	1600 mm
Width	550 mm
Depth	430 mm
Weight	320 kg
Weight with heat tank	390 kg
Colour	Black, grey
Max. log length	35 cm

CONTURA 35T



34T

35T



reddot design award

Select options: Fan, heat tank (cannot be combined with fan), floor protector of glass or sheet metal, outside air connection, chimney.

Prize winning stove that stands out from the crowd

The “Red dot quality label for high design quality” is an award for outstanding and innovative design in one of the most prestigious design competitions in the world. Contura 35T received the award in 2010. We are very proud of it – at least as proud as we are that the efficiency level is 80% and that, like all our stoves, it is eco-labelled. Enjoy a little more of the fire!

Output	5 kW
Efficiency	80 %
Heats	up to 120 m²
Height	1600 mm
Width	550 mm
Depth	430 mm
Weight	250 kg
Weight with heat tank	320 kg
Colour	Black, grey
Max. log length	35 cm



CONTURA 470T

Select options: Fan, additional side glass, extension parts in soapstone, floor protector in grey sheet metal, outside air connection, chimney.

A soapstone piggy bank.

Contura 470T is clad in specially designed soapstone. Glass on three sides means that the fire can be experienced by everyone in the room. Thanks to the soapstone and the heat tank under the stove hood, it radiates heat for many hours after the fire has gone out. That saves you money!

Output	6 kW
Efficiency	80%
Heats	up to 150 m²
Height, medium height/high	2050/2415 mm
Width	664 mm
Depth	560 mm
Weight, med.height/high	328, 355 kg
Colour	Grey
Max. log length	39 cm



CONTURA 480T

Select options: Fan, hotplate, additional side glass, floor protector in glass or sheet metal, outside air connection, chimney.

Clad in soapstone for all those cold days

Soapstone is a natural stone with the capacity to retain heat. This means that it will continue to give off heat long after the fire has gone out. One fire in the evening keeps the stove warm all night. The stone varies in colour and veining slightly, giving you a unique stove.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1032 mm
Width	564 mm
Depth	470 mm
Weight	210 kg
Colour	Black, grey
Max. log length	33 cm



Heats both body and soul

The soapstone that covers Contura 480T is a pure, natural material with individual veining and good heat retaining characteristics. In addition, the Contura 480 has an olivine heat tank. 400 series wellproven firebox allows generous glass areas.

Output	6 kW
Efficiency	80%
Heats	up to 150 m²
Height	1250 mm
Width	552 mm
Depth	526 mm
Weight	290 kg
Colour	Grey
Max. log length	39 cm

470T

480T

520T



CONTURA 520T

Select options: Fan, base plate, drawer (cannot be combined with fan), hotplate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.



CONTURA 52T

Select options: Hotplate, extra handle in matt chrome, floor protector in black sheet metal, outside air connection, chimney.

Substantial stoves in cast iron and soapstone

The cast iron stove has a long tradition that has been given a contemporary interpretation. The 50 range has the same efficient firebox as all Contura stoves. With soapstone sides the heat is retained for a long, long time.

Output	5 kW
Efficiency	81%
Heats	up to 120 m ²
Height	875 mm
Width	495 mm
Depth	420 mm
Weight	172 kg
Colour	Black
Max. log length	35 cm



CONTURA 54T

52T

54T

ADJUSTABLE FEET
KEEP THE STOVE
LEVEL.

Select options: Hotplate, extra handle matt chrome or black, floor protector in black sheet metal, outside air connection, chimney.

Robust and spacious but small and neat

Contura 54T is the curved model in the 50 range. The fantastic thing with this stove is that it has enormous capacity, despite the fact that it is so compact and easily positioned. A powerhouse!

Output	5 kW
Efficiency	81%
Heats	up to 120 m ²
Height	875 mm
Width	550 mm
Depth	455 mm
Weight	190 kg
Colour	Black
Max. log length	35 cm



CONTURA 660T

Select options: Soapstone warming shelf, baking oven, fan, convection front, hot-plate, drawer (cannot be combined with fan), base of sheet metal or soapstone, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

Large houses need maximum heat for longer

Soapstone stoves are suitable for those who need to heat large areas. Thanks to the excellent heat retention properties of the stove the heat remains long after you have gone to bed.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1220 mm
Width	590 mm
Depth	510 mm
Weight	270 kg
Colour	Black, grey
Max. log length	36 cm



CONTURA 590T

590T

660T

Select options: Warming shelf in soapstone, baking oven, fan, extra heat tank, turntable, floor protector in glass or sheet metal, outside air connection, chimney.

PERFECT IN OPEN PLAN ROOMS

High level heat rays and light.

The tall soapstone stove increases heat retention and keeps the fire at a higher level. Soapstone has the capacity to store heat long after the fire has gone out. For those who want even greater heating output, installing a heat tank gives extra hours of warmth.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1544 mm
Width	536 mm
Depth	458 mm
Weight	230 kg
Colour	Black, grey
Max. log length	33 cm

Scandinavian style meets continental charm

Contura Tiled stoves are the perfect choice for those that love tiled stoves but still want to see the fire – you do not need to choose one or the other, you can have both! Contura tiled stoves are clad with specially manufactured white gloss or matt sand coloured tiles of the highest quality.

Available in several versions and sizes. If you choose a larger model with an olive heat tank you get a stove that heats the room rapidly and maintains the heat for a long time.

The tiled oven feel is further enhanced with tiled options such as a top and warming shelf.

The high variant of Contura 26K retains the heat for a long time if you choose to add an olive heat tank. Read more about the heat tank on page 92.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1622 mm
Width	582 mm
Depth	462 mm
Weight with baking oven	265 kg
Weight with heat tank	360 kg
Colour	Black, grey
Tiles	White, sand
Max. log length	40 cm

LIKE A TILED STOVE
THAT SHOWS THE
FLAMES!



Select options: Fan, baking oven, extra heat tank, floor protector in glass or sheet metal, outside air connection, chimney.

CONTURA 26K, high

26K

TILED STOVES

59



Select options: Fan, hot plate, drawer (cannot be combined with fan), base plate, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

The tiled stove of today is small, attractive and has Nordic light

The wood burning stove with side glass is clad in durable, specially made tiles, just like a tiled stove. It is suitable for those who like tiles and who want a quick and efficient heat source that takes up little space. It also has the advantage that you can see and enjoy the fire, both from the front and from the sides.

Output	5 kW
Efficiency	79%
Heats	up to 120 m²
Height	1010 mm
Width	536 mm
Depth	462 mm
Weight	115 kg
Colour	Black, grey
Tiles	White, sand
Max. log length	33 cm



Select options: Tiled warming shelf, fan, convection front, baking oven, hotplate, drawer (cannot be combined with fan), base of sheet metal or soapstone, turntable, floor protector of glass or sheet metal, outside air connection, chimney.

Warming comfort

Contura 26K low models are suitable for when large areas need to be heated. This model occupies a small area but provides the pleasant feeling of a tiled stove. Thanks to the large glass areas the flames can be seen from several directions. With an olivine heat tank the heat is stored efficiently. Select a glass floor protector to enhance the light, clean impression.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1312 mm
Width	582 mm
Depth	462 mm
Weight	240 kg
Colour	Black, grey
Tiles	White, sand
Max. log length	40 cm



A tiled stove for large warm homes

The 600 range also includes the tiled stove for the present day. It has been designed to blend in to large rooms and open-plan areas where it matches a tiled kitchen. A tiled top enhances the feeling of a tiled stove.

Output	6 kW
Efficiency	79%
Heats	up to 150 m²
Height	1220 mm
Width	590 mm
Depth	510 mm
Weight	190 kg
Colour	Black, grey
Tiles	White, sand
Max. log length	36 cm

26K

560K

660K



Select options: Fan, floor protector in glass or sheet metal, outside air connection, chimney.

Cast iron for ever and a day

Who doesn't love cast iron? The easily formed, tough and beautiful material has been used for so many appliances through our history. Things that should be really stable, strong and heavy are made of cast iron – manhole covers and Grandma's frying pan, for example. This is the tradition behind Contura's tough and modern cast iron stoves, designed by young Swedish designers. Whichever model you choose you get a small and robust stove that shows a lot of light and heats for a long, long time.

This versatile 5kW stove means you can have a fire with a low output in order to maintain an even and comfortable temperature in the room for a long period. The stoves have high capacities and can heat up to approx 120m2 in favourable conditions.

THE LOG GRATE HOLDS THE LOGS IN PLACE WHEN THE DOOR IS OPENED

Output	5 kW
Efficiency	81%
Heats	up to 120 m²
Height	630 mm
Width	495 mm
Depth	420 mm
Weight	124 kg
Colour	Black or grey
Max. log length	35 cm



Select options: Extra handle matt chrome or black, floor protection black sheet metal, outside air connection, chimney



CONTURA 51

Stable on any floor

Contura 51 is modern cast iron stove with convection air. Four adjustable legs mean that it is stable on any floor. The attractive handle is chromed as standard but is also available in black, as illustrated.

Output	5 kW
Efficiency	81 %
Heats	up to 120 m ²
Height	825 mm
Width	495 mm
Depth	420 mm
Weight	128 kg
Colour	Black
Max. log length	35 cm

Select options: Extra handle matt chrome or black, floor protector in black sheet metal, outside air connection, chimney.

Straight and discrete but warm and alive

This cast iron stove is designed by the Swedish design group, Myra. With its straight lines and covered sides it has a place in both contemporary and more rustic styles.

Output	5 kW
Efficiency	81 %
Heats	up to 120 m ²
Height	825 mm
Width	495 mm
Depth	420 mm
Weight	135 kg
Max. log length	35 cm



CONTURA 52

Select options: Extra handle matt chrome or black, floor protector in black sheet metal, outside air connection, chimney.



CONTURA 53

Select options: Extra handle matt chrome or black, floor protector in black sheet metal, outside air connection, chimney.

Rounded with full sides

Contura 54 has fully covering sides with adjustable feet for stability on all surfaces. In the image the detachable handle is removed.

Output	5 kW
Efficiency	81 %
Heats	up to 120 m ²
Height	825 mm
Width	550 mm
Depth	455 mm
Weight	149 kg
Max. log length	35 cm



CONTURA 54

Select options: Extra handle matt chrome or black, floor protector in black sheet metal, outside air connection, chimney.

Rounded back for placing in corners

Contura 53 has a softly rounded back that makes it perfect for positioning in corners. Four stable, adjustable legs give an airy impression and make it easy to clean.

Output	5 kW
Efficiency	81 %
Heats	up to 120 m ²
Height	825 mm
Width	550 mm
Depth	455 mm
Weight	143 kg
Max. log length	35 cm

- 52
- 53
- 54

Give Contura a personal touch

You have probably realised that Contura's basic models satisfy most tastes. You may have found your own favourite. Now it is time to choose the options! Thanks to our ingenious, Smålander designs it is possible to make a completely personal Contura that meets your needs.

Contura has accessories for economy: A fan that increases the efficiency.

Contura has accessories for organisation: You can gather lighter kindling and gloves in a practical drawer.

Contura has accessories for aesthetics: How do you want to top your Contura?

With soapstone, steel plate or cast iron?

Here you can read more about baking ovens, the turntable, floor protectors and the other accessories system that fits both Contura and your house.



Turntable



Soft-close door



Drawer



Baking oven



Keep the tea warm on a hotplate
Read about hotplates in the next section



Let the fire spin all the way around!
Read about turntables in the next section



Gather the logs in an attractive and practical basket.

Heat can be used for many things

Several of our models can be supplemented with a fan that gives an extra kick to the heat. A baking oven or soapstone top is an energy saving complement to the usual hob and oven.

DIFFERENT TYPES OF
FLOOR PROTECTOR
ARE AVAILABLE FOR
ALL OUR STOVES

Options for comfort and function

Here is an overview of options that increase the benefits and pleasure of using your stove. The complete range of options can be found at www.contura.eu. Bear in mind that certain options cannot be combined on all models.



Steel disc top. The 5 mm thick plates give your stove a contemporary look while improving heat circulation.



Cast iron top. The cast iron top can act as a hotplate. Practical for heating food, in the event of a power cut for example.



Soapstone top. Each piece of soapstone is unique in its beautiful veining. The stone retains heat for a long time and also acts as a hotplate.



Warming shelf. Tea can be kept warm on a soapstone warming shelf. The warming shelf is also available for models without soapstone.



Cast iron hot plate. Perfect for when you want to use the stove to heat up food and drink.



Baking oven. The size of the baking oven depends on the stove it belongs to. It gets as hot as a normal oven. Thermometer included.



New! Can now be connected to outdoor air!

Turntable. Stepless rotation through 360 degrees. The turning angle and the speed of rotation are adjustable. Suitable for all Contura 500 and 600 (except 690).



Soft-close door. Store logs, matches and protective gloves behind a matching, soft-closing door.



Floor protection. Our practical floor protectors are available in black or grey sheet metal or transparent, toughened glass. In addition to being attractive and protecting the floor they are easy to remove for cleaning.



Fan. Distributes the heat quickly and provides a more even temperature. It is thermostat-controlled and starts when the fire is lit and stops when the fire has gone out. Easy to install and can also be retrofitted.



Drawer. With a practical and integrated drawer you always know where the matches and protective gloves are.



Heat tank. The olivine heat tank is concealed in the stove top and retains the heat for a long time. In the models of the 500 and 30 ranges the heat tank cannot be combined with the fan.



Log box. A practical compartment under the stove which keeps the logs in order is standard on several models.



Log basket. Choose from our log baskets – we have several models for different styles.



Tools. With practical tools it is easy to keep the logs in the fire in order and to remove the ash.

Overview – all options

	26K low	26K high	26T low	26T high	32	32A	34T	35T	51	52	52T	53	54	54T
Outside air connection Aluminium hose and condensation protection, length 1000 mm, transfer connector from Ø 64 mm to Ø 100 mm, hose clips	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Connection kit for existing chimney¹ Connection kit straight back	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Connection kit for existing chimney¹ Connection kit 45° back	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Baking oven		•		•										
Bowed connection pipe 320 mm with soot door, grey or black					•	•	•	•	•	•	•	•	•	•
Bowed connection pipe 700 mm with soot door, grey or black	•		•		•	•	•	•	•	•	•	•	•	•
Glass hearth plate, front model	•	•	•	•	•	•	•	•						
Glass hearth plate, full coverage model	•	•	•	•	•	•	•	•						
Extra handle matt chrome or black									•	•	•	•	•	•
Additional side glass (for corner installation, per complete pair)														
Fan with automatic², 230 V	•	•	•	•	•	•	•²	•²						
Floor plate, white, grey or black	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hotplate (suitable only for rear connection)					•	•			•	•	•	•	•	•
Low door (no additional charge)														
Bottom door														
Pipe kit for high angle														
Cast iron base					•	•								
Tiled base														
Soapstone base														
Base plate (aluminium)														
Base plate														
Cover for outside air connection									•	•	•	•		
Extension piece, soapstone, height 407 mm, max. 3														
Drawer (not suitable for use with a fan)					•	•								
Turntable incl. rotating collar														
Heat tank²	•		•				•²	•²						

¹ All connection kits include a flue collar, sealing materials and a seal cover. Check the suitability of all chimney pipes for use with the individual country Building Regulations.
² NOTE: In the Contura 34T, 35T, 590 and 590T the heat tank cannot be combined with the fan.

450	450T	470T	480T	510	520T	550	550A	556	560K 560T	570	580 585	586	590	590T	650	655	655A	660K	660T	685	750	750A	780
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
															•	•	•	•	•	•			
				•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
			•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
•	•	•	•																				
•	•	•	•	•	•	•	•	•	•	•			•²	•²	•	•	•	•	•				
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
				•	•	•	•	•	•	•	•	•			•	•	•	•	•	•			
								•					•	•							•	•	•
•	•	•																					
																		•					
								•		•					•	•	•	•	•				
				•	•	•	•		•	•					•	•	•	•	•				
				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•
													•²	•²									

Facts about all stoves

All the facts about wood burning stoves, soapstone stoves, tiled stoves and cast iron stoves are gathered here, model by model so that you can plan your choice. Using the dimensions diagrams you can measure exactly how the fireplace can be positioned.



Swan marked


Contura is Swan labelled in accordance with SIS Miljömärkning AB. Stringent requirements are placed on the manufacture and use of Swan labelled stoves. Therefore, the product can be recycled without the spread of toxic substances. A Swan labelled stove is CO₂ neutral, because the carbon dioxide produced during the efficient combustion of bioenergy is taken up in the corresponding quantity as new trees are growing.

Safety tested

CE labelling is an important part of EU product legislation and includes construction products, machinery and toys. The CE label certifies that the product meets the most important characteristic, namely, safety. All products made by Contura and Premodul are CE labelled.

5-year warranty

When you buy a complete stove from Contura you always get a five-year factory warranty. Good service and parts availability are additional assurances during the service life of the stove.



Overview – all models




All Contura's stoves can be compared here. For detailed information about flame visibility, measurements, output and options, see the relevant section.


-  Fan
-  Flame visibility
-  The stove is available in black paint
-  The stove is available in grey paint
-  The stove is available in grey and black paint.
-  The stove is available in white, grey or black
-  The tiles are available in sand beige or white

26T




26K


Contura 26T, low Soapstone










Contura 26T, high Soapstone










Contura 26K, low Tiles





Contura 26K, high Tiles








32


32A

34T




35T


Contura 32 Steel









Contura 32A Aluminium









Contura 34T Cast iron









Contura 35T Glass top





Contura 35T Soapstone





51L

51

52


52T


53

54


54T


Contura 51L Cast iron







Contura 51 Cast iron







Contura 52 Cast iron







Contura 52T Cast iron and soapstone







Contura 53 Cast iron







Contura 54 Cast iron





Contura 54T Cast iron and soapstone









450

470T




480T


Contura 450









Contura 450T









Contura 470T Soapstone









Contura 470T:20, medium height Soapstone





Contura 480T Soapstone









510




520T


Contura 510:1 Cast iron top









Contura 510:2 Steel top









Contura 510:3 Soapstone top






Contura 520T Soapstone







550 550A 556




586 590




560K 560T 570 580




650



585





655

Contura 655:1
With steel disc top
and steel warming
shelf



Contura 655:2
With steel disc top
and baking oven



Contura 655:3
With steel disc top
and soapstone
warming shelf



Contura 655:4
With soapstone top
and steel warming
shelf



Contura 655:5
With soapstone top
and baking oven



Contura 655:6
With soapstone
top and soapstone
warming shelf



Contura 655:7
With cast iron top
and steel warming
shelf



655A

Contura 655:8
With cast iron top
and baking oven



Contura 655:9
With cast iron top
and soapstone
warming shelf



Contura 655A:10
With warming shelf
in aluminium



Contura 655A:11
With baking oven



660K

Contura 660K:1
With convection front



Contura 660K:3
With baking oven



Contura 660K:5
With tiled warming
shelf



Contura 660T:1
With convection front



Contura 660T:3
With baking oven



Contura 660T:5
With soapstone
warming shelf



660T

685

Contura 685:1
With steel disc top
and steel warming
shelf



Contura 685:2
With steel disc top
and baking oven



Contura 685:3
With steel disc top
and soapstone
warming shelf



Contura 685:4
With convection front



Contura 685:5
With soapstone top
and baking oven



Contura 685:6
With soapstone
top and soapstone
warming shelf



Contura 685:7
With cast iron top
and steel warming
shelf



Contura 685:8
With cast iron top
and baking oven



Contura 685:9
With cast iron top
and soapstone
warming shelf



750

Contura 750



750A

Contura 750A



780


Contura 780



Dimension diagrams


Detailed dimensions diagrams for all Contura stoves are here so that you can plan positioning and installation.

26K high, 26T high




* Used with baking oven option ** To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used. When using the 20 series prefabricated hearth plates, observe the different dimensions of combustion air holes in the hearth plate and stove.

26K low, 26T low




** To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used. When using the 20 series prefabricated hearth plates, observe the different dimensions of combustion air holes in the hearth plate and stove.

32, 32A




*To prevent discolouration of painted fire walls, we recommend the same side distance as to combustible walls.

34T



*To prevent discolouration of painted fire walls, we recommend the same side distance as to combustible walls.


35T



*To prevent discolouration of painted fire walls, we recommend the same side distance as to combustible walls.


51, 52, 52T

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = distance from back to c/c air inlet
D = distance from back to rear smoke outlet



*To prevent discolouration of painted fire walls, we recommend the same side distance as to combustible walls.


450, 450T



* Only with extra side glass


53, 54, 54T

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = distance from back to c/c air inlet
D = distance from back to rear smoke outlet



*To prevent discolouration of painted fire walls, we recommend the same side distance as to combustible walls. ** Minimum installation distance when Handöl 50 floor plate is used, applied both when the combustion air is retrieved from the house and when connected to outdoor air through the floor. If outdoor air is NOT connected through the floor, the stove may be positioned 50 mm from fire walls if Nibe's teardrop shaped floor plate is used.


470T




* Only with extra side glass

51L

A = height from floor to top flue connection
B = height from floor to c/c smoke outlet rear
C = distance from back to c/c air inlet, Ø64
D = distance from back to smoke outlet rear




480T



* Only with extra side glass

510, 550, 550A


A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.
Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

556


A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.
Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

520T


A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.
Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

560T, 560K


A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.
Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

570

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

585

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

580

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

586

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

590, 590T

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

** Dimensions for C590T

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

655, 655A

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch
E = height from floor to upper edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

660K, 660T

A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch
E = height from floor to upper edge of hatch




* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

685


A = height from floor to chimney connection
B = height from floor to C/c smoke outlet rear.
C = height from floor to supply air opening
D = height from floor to lower edge of hatch
E = height from floor to upper edge of hatch



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.


750, 750A



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.

780



* To prevent discolouration of painted non-flammable walls we recommend that the same side distance as to combustible walls is used.

Note: If the stove is positioned on a turntable the stated installation distances do not apply. Note: The glass hearth plate increases the distance above the floor by approximately 10 mm.




Good heat retention with olivine stone and dampers

There are different solutions for using the heat with Contura stoves.

Heat tank


Using olivine as a heat tank makes it possible to store heat. You get even heat distribution over a long period. With the damper closed the cooling down time is up to 18 hours for Contura 26T with extra heat tank. Heat tank is included in the Contura 400 range and in the low model of the Contura 26K and 26T. A heat tank is also available for 590, 590T, 26K high, 26T high, 34T and 35T.



Dual air system regulates heating and cooling

With two efficient heating systems Contura 26 stoves have a fantastic ability to both control the heat distribution and the cooling down period. The red arrows indicate how cold air is drawn into the rear of the stove, continues through two pipes in the firebox, passes through metal hoses and is distributed into the room at the top of the front side of the stove.

The orange arrows indicate how cold air is drawn in at floor level and heats up between the stove's hot internal parts and the outer tile/soapstone to be spread via the grille.



Adjustable damper

The adjustable damper in Contura 26 enables you to regulate the amount of heated air from the stove. Adjustable damper is provided with Contura 590, 590T, 34T and 35T when a heat tank is selected. A closed damper gives a long cooling down period. An open damper distributes the heat more quickly, which is good when you want to heat a room up quickly.

Good air circulation for efficient combustion



Efficient air flow

The cool room air is drawn into the stove from underneath, is heated and rises. Just a few minutes later the hot air flows out into the room.

Clean glass

The control on the front of the stove controls the intensity of the fire by regulating the amount of combustion air. The combustion air is heated to extremely high temperatures and flushed out onto the inside of the glass, which prevents soot build-up.

High combustion

In the rear of the stove there is an extra duct system for spreading preheated combustion air. The system is called Clean Burning and is activated by sliding the control on the front to the left. The stove burns efficiently and for long periods resulting in a combustion with very low particle concentrations.

Light green for a better environment

Making the stove responsible for part of your heating costs is wise from both an environmental and financial point of view. If you light correctly it is a cheap heating method and kind to the environment. Cosiness is included in the price!

Modern wood firing technology is an environmentally friendly energy form, which does not contribute to the greenhouse effect. Complete combustion of wood produces carbon dioxide, water vapour and ash that can be used as garden fertiliser. Complete combustion also gives better heating economy, which is itself environmentally friendly. But in order for the fire to have the best possible effect and contribute to as clean an environment as possible it is important to fire correctly. Here are some basic tips. See the instruction films and read more at www.contura.eu

Seven hot tips for greener and more efficient firing

1. Replace your old stove with a new one if it is more than ten years old. Modern stoves are up to 90% cleaner and 40% more efficient than their predecessors.
2. Choose an eco-labelled/Swan-labelled stove.
3. Always light using dry wood.
4. Let the door stand ajar for at least 10 minutes after lighting the fire.
5. Make sure that the fire always has enough oxygen.
6. Do not burn more than the manufacturer recommends, which is normally a max 2–3 kg logs/hour.
7. Always let the wood lie indoors for at least one day before burning. "Deep frozen" wood (–20 degrees) means that the heat recovery will be very poor.



Contura is completely Swedish!

The design and product development of Contura stoves occurs in Sweden, as does the assembly of all stove parts. The stoves are quality controlled before leaving the factory in Markaryd. This gives us full control over the quality in all stages of production. We take care to ensure that the stoves are suitable for the modern home and conditions. We are proud to mark our stoves "Made in Sweden".



A Smålander that heats Europe!


Contura stoves and Premodul chimneys are made by NIBE in Markaryd, in Småland. Conserving resources has always been a matter of course in Småland and that is why our manufacturing is modern, lean and efficient. Quality permeates every level of production in our factory, which is the largest and most modern facility for the manufacture of stoves and chimneys in Europe. Our products are sold throughout Europe and are appreciated for their timeless design, efficiency and high quality.

Contura is the leading manufacturer of stove products in Scandinavia and one of the leading manufacturers in Europe. Contura is part of the NIBE group, which has 6000 employees and a turnover of approximately 6.5 billion SEK.



Contura
NIBE AB
Box 134
SE-285 23 Markaryd
Tel: +46 (0)433 75 100



Part of  **NIBE** www.contura.eu