

### Cast iron performance

WOODBURNING • MULTI-FUEL • GAS • ELECTRIC















# Contemporary Cassette Fireplaces





Traditional Insert and Canopied Fireplaces

### CONTENTS

-				٠.						
1	r	a	d	п	10	n	a	l si	O	/es

Iraditional stoves	
250 stove	4 - 5
280 gas stove	6 - 7
280 electric stove	8 - 9
425 stove	10 - 11
425 gas stove	12 - 13
425 electric stove	14 - 15
500 stove	16 - 17
500 electric stove	18 - 19
640 stove	20 - 21
700 stove	
760 stove	
Vintage stoves	
Vintage stoves 30 Vintage	26 - 27
_	
30 Vintage	28 - 29
30 Vintage	28 - 29
30 Vintage	28 - 29 30 - 31
30 Vintage	28 - 29 30 - 31
30 Vintage	28 - 29 30 - 31 stoves
30 Vintage	28 - 29 30 - 31 stoves 32 - 33 34 - 37
30 Vintage	28 - 29 30 - 31 stoves 32 - 33 34 - 37 38 - 39
30 Vintage	28 - 29 30 - 31 stoves 32 - 33 34 - 37 38 - 39 40 - 41
30 Vintage	28 - 29 30 - 31 stoves 32 - 33 34 - 37 38 - 39 40 - 41 42 - 43

#### **Contemporary cassette fireplaces**

2510 double-sided cassette	46 - 47
2520 cassette	48 - 49

### Traditional insert and canopied fireplaces

1800 fireplace	50 - 51
2000 fireplace	52 - 53
2300 fireplace	54 - 55
2400 fireplace	56 - 57
2700 fireplace	58 - 59
1800 gas fireplace	60 - 61
2700 gas fireplace	62 - 63
Canopies	64 - 65
Flue Pipe	66 - 67
Accessories & Stove Care	68 - 69
Dimensions	70 - 74

Front cover photograph: Astroline 3CB with pedestal







Dovre takes its company name from a range of Norwegian mountains, and has more than 60 years' experience in manufacturing stoves and fireplaces for the harshest of Arctic winters.

Cast iron has many advantages – durability, better heat retention and longevity, as well as the ability to be moulded into a huge variety of shapes and textures, giving aesthetic beauty and immediate appeal whether your interior style is traditional or contemporary.

Over the decades, Dovre's product range has been developed and refined continuously. Today, its woodburning and multi-fuel stoves offer advanced cleanburn technology for improved combustion efficiency and care for the environment. Its airwash systems help keep the door glass clean, whilst there are also many models fuelled with the convenience of gas or electricity.



Wood is the better fuel in environmental terms as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%\*. This will not only give

up to twice the output of freshly felled timber but help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have greatly increased calorific value of softwoods for the same volume.

Whatever your choice - wood, multi-fuel, gas or electric - your Dovre stove or fireplace will be rugged, reliable and built to the uncompromising standards you would expect from our Scandinavian heritage.

#### Warranty information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas & electric 'engines' used in stoves and fires. The continuation of the warranty is dependent on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk

#### \* All efficiencies quoted in this brochure are for seasoned wood with a moisture content of less than 20%.

#### EXPERT RETAILER NETWORK

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational; discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. These retailers will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.





Traditional Matt Black

Midnight Blue enamel\*

Majolica Brown enamel

Ivory enamel

Black enamel

The Dovre 250 multi-fuel is designed to suit a huge range of applications from a cottage kitchen to a modern town-house living room, especially as it is approved for smoke control areas. It has a large glass door panel and ornately cast side panels both adding to the visual appeal. Manufactured from only premium grade cast iron, the 250 is at home whether burning wood (logs up to 30cm long may be used) or a variety of solid fuels, and is equipped with a sophisticated airwash system to keep the door glass cleaner. Matt black woodburning and woodburning/smokeless fuel versions with cleanburn for improved heating efficiency are also available. Shorter legs are an option on the 250CBW model.

- All cast iron construction ■
- Woodburning or multi-fuel versions
  - Airwash system ■
- DV-250 approved for Smoke Control Areas†
- Colour matched enamel flue pipe also available
  - Maximum heat output: 4.9kW
    - High efficiency: up to 77%
      - , ,
        - Top or rear flue exit ■
      - Flue diameter: 125mm
        - Weight: 79kg ■

#### PRODUCT CODES

DV-250CBS Matt black woodburner with cleanburn and airwash systems
DV-250CBW Matt black woodburner/smokeless fuel with cleanburn

DV-250 Matt black multi-fuel with riddling grate and airwash system

 ${\rm DV\text{-}250BL^{\star}} \qquad \qquad {\rm Midnight\; Blue\; enamel\; multi-fuel\; with\; riddling\; grate\; and\; airwash\; system}$ 

DV-250BLK Black enamel multi-fuel with riddling grate and airwash system

DV-250MJB Majolica Brown enamel multi-fuel with riddling grate and airwash system

DV-250IV Ivory enamel multi-fuel with riddling grate and airwash system

 $\textbf{DV250SCKIT} \qquad \text{Smoke control kit.} \ ^{\uparrow} \text{Required to meet approval standards}$ 







Black enamel



280 GAS STOVES

An all-new model, the 280 Gas blends Dovre's pedigree in casting with the latest gas flame technology. So the fire not only looks highly realistic but also provides you with effective and controllable warmth. There are two distinctive models: conventional flue with coal-effect fire or balanced flue with log-effect fire – and both even have the option of remote controls to allow you to adjust the flames and heat from the comfort of your armchair.

- All cast iron construction ■
- Conventional flue version with realistic coal-effect fire
  - Balanced flue version with realistic log-effect fire
- Colour matched enamel flue pipe also available  $\; = \;$ 
  - Optional remote controls
  - High Efficiency: up to 78% ■
  - Maximum heat output: 3.6kW (CF)/3.3kW (BF)
- Piezo ignition system requires no electricity supply  $\ lue$
- Top or rear flue exit: 125mm (CF)/152mm (BF)
  - LPG and Natural Gas versions available
    - Automatic safety shutdown in the event of pilot light failure or flue blockage
      - Weight: 50kg (CF)/54.4kg (BF)

#### PRODUCT CODES

#### 280 CONVENTIONAL FLUE WITH COAL-EFFECT FIRE

Natural Gas	LPG
DV-280CFNG	DV-280CFLPG
DV-280CFNGIV	DV-280CFLPGIV
DV-280CFNGGR*	DV-280CFLPGGR
DV-280CFNGBL*	DV-280CFLPGBL*
DV-280CFNGMJB	DV-280CFLPGMJE
DV-280CFNGBK	DV-280CFLPGBK

#### 280 BALANCED FLUE

#### WITH LOG-EFFECT FIRE

Natural Gas	LPG	
DV-280BFNG	DV-280BFLPG	Matt Black
DV-280BFNGIV	DV-280BFLPGIV	lvory enamel
DV-280BFNGGR*	DV-280BFLPGGR*	Forest Green enamel
DV-280BFNGBL*	DV-280BFLPGBL*	Midnight Blue enamel
DV-280BFNGMJB	DV-280BFLPGMJB	Majolica Brown ename
DV-280BFNGBK	DV-280BFLPGBK	Black enamel

#### **HEAT OUTPUT**

#### 280 CONVENTIONAL FLUE

Energy Input: Nat. Gas: 4.6kW, LPG: 4.4kW Heat Output: Nat. Gas: 3.6kW, LPG: 3.2kW

#### 280 BALANCED FLUE

Energy Input: Nat. Gas: 4.2kW, LPG: 4.1kW Heat Output: Nat. Gas: 3.3kW, LPG: 3.2kW



#### OPTIONAL REMOTE CONTROLS†

DV-8455: Standard
DV-8456: Programmable

† Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

<sup>\*</sup>While Stocks Last







280
ELECTRIC STOVES

Traditional Matt Black

Midnight Blue enamel\*

Majolica Brown enamel

Ivory enamel

Black enamel

If you do not have a chimney or want to locate a stove in a space where it would be difficult to install a flue then the electric version of the 280 could be the answer. Once plugged in to a normal 13amp socket, you simply use the remote control to turn it on or off, adjust the heat between the 1kW or 2kW settings or to select one of 3 flame brightness levels using the unique VeriFlame<sup>TM</sup> technology. The additional option of a subtle blue flame effect on the highest level makes the stove's 'log' fire one of the most authentic available. It truly is real fire ambience at the press of a button!

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from 3 brightness levels using unique VeriFlame™ technology
  - Flame effect can be operated with or without heat output
    - High Efficiency: 99% ■
    - Discreetly concealed fan heater with 1kW and 2kW settings
      - All functions operated from remote control so no bending
  - Requires no flue, hearth or chimney
  - Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
  - Weight: 50kg ■

#### PRODUCT CODES

DV-280E Matt Black, log-effect fire
DV-280EIV lvory enamel, log-effect fire

DV-280EBL\* Midnight Blue enamel, log-effect fire
DV-280EMJB Majolica Brown enamel, log-effect fire

DV-280EBK Black enamel, log-effect fire







Traditional Matt Black

Black

lvory enamel

Midnight Blue enamel\*

Majolica Brown enamel

Black enamel



# 425 MULTI-FUEL STOVES

Available in a selection of deep enamel finishes as well as traditional matt black, the Dovre 425 has the style and performance to bring a warming glow to many a home. The woodburning version features Dovre's latest cleanburn system whilst the multi-fuel version, complete with riddling grate, is capable of burning a variety of solid fuels or logs and incorporates an airwash system to help keep the window clean.

All cast iron construction ■

Woodburning or multi-fuel versions

Airwash system ■

Colour matched enamel flue pipe also available

Maximum heat output: 8kW ■

High efficiency: up to 83% ■

Top or rear flue exit ■

Flue diameter: 150mm ■

Weight: 130kg ■

#### PRODUCT CODES

DV-425CBW Matt Black woodburner with cleanburn

DV-425 Matt Black multi-fuel with riddling grate and airwash system

DV-425BL\* Midnight Blue enamel multi-fuel with riddling grate and airwash system

DV-425BLK Black enamel multi-fuel with riddling grate and airwash system

DV-425MJB Majolica Brown enamel multi-fuel with riddling grate and airwash system

DV-425IV Ivory enamel multi-fuel with riddling grate and airwash system







Traditional Matt Black

Ivory enamel

Midnight Blue enamel\*

Forest Green enamel\*

Majolica Brown enamel

Black enamel



## 425 **GAS STOVES**

Incorporating up-to-the-minute gas fire technology, Dovre's 425 Gas stove features all the charm and atmosphere of a superb log-effect fire with exceptionally realistic glow and gently dancing flames. It is available in both balanced flue and conventional flue versions. Add to this a choice of six colour options, top or rear flue exits, natural gas or LPG variants and remote control options and you should be able to find the perfect stove for your home.

- All cast iron construction
  - Realistic log-effect fire
- Conventional and Balanced flue versions
- Colour matched enamel flue pipe also available
  - Optional remote controls
  - High Efficiency: up to 80% ■
  - Maximum heat output: 5.3kW
  - Piezo ignition system requires no electricity supply
  - LPG and Natural Gas versions available
  - Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit 125mm (CF)/152mm (BF):  $\blacksquare$ 
  - Weight: 74kg (CF)/81.5kg (BF) =

#### **PRODUCT CODES**

#### **425 CONVENTIONAL FLUE**

Natural Gas	LPG
DV-425CFNG	DV-425CFLPG
DV-425CFNGIV	DV-425CFLPGIV
DV-425CFNGGR*	DV-425CFLPGGR*
DV-425CFNGBL*	DV-425CFLPGBL*
DV-425CFNGMJB	DV-425CFLPGMJB
DV-425CFNGBK	DV-425CFLPGBK

<sup>\*</sup>While Stocks Last

#### **425 BALANCED FLUE**

Natural Gas	LPG	
DV-425BFNG	DV-425BFLPG	Matt Black, log-effect fire
DV-425BFNGIV	DV-425BFLPGIV	lvory enamel, log-effect fire
DV-425BFNGGR*	DV-425BFLPGGR*	Forest Green enamel, log-eff
DV-425BFNGBL*	DV-425BFLPGBL*	Midnight Blue enamel, log-e
DV-425BFNGMJB	DV-425BFLPGMJB	Majolica Brown, log-effect fi
DV-425BFNGBK	DV-425BFLPGBK	Black enamel, log-effect fire

namel, log-effect fire Green enamel, log-effect fire ght Blue enamel, log-effect fire ca Brown, log-effect fire

#### HEAT OUTPUT

#### **425 CONVENTIONAL FLUE**

Energy Input: Nat. Gas: 6.6kW, LPG: 6.4kW Heat Output: Nat. Gas: 5.3kW, LPG: 5.1kW

#### **425 BALANCED FLUE**

Energy Input: Nat. Gas: 6.45kW, LPG: 6.1kW Heat Output: Nat. Gas: 5.3kW, LPG: 5.0kW



#### **OPTIONAL REMOTE CONTROLS**<sup>†</sup>

DV-8455: Standard DV-8456: Programmable  $\dagger$  Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.



## 425 ELECTRIC STOVES

Instant glow, instant flames and instant heat, that's the promise of the impressive new 425 Electric. You can select from 3 different flame brightness levels using unique VeriFlame<sup>TM</sup> technology to provide your ideal style of fire, including the additional blue flame effect on the high setting. There are even reflective sides to ensure the flames appear realistic from all angles so - whether you use the built-in fan heater or not - you can enjoy a perfect picture of warmth at anytime.

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from 3 brightness levels using unique VeriFlame™ technology
  - Flame effect can be operated with or without heat output
    - High Efficiency: 99% ■
    - Discreetly concealed fan heater with 1kW and 2kW settings
    - All functions operated from remote control so no bending
  - Requires no flue, hearth or chimney ■
  - Plugs into standard 13amp socket ■
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
  - Weight: 74kg ■

#### PRODUCT CODES

DV-425E Matt Black, log-effect fire
DV-425EIV Ivory enamel, log-effect fire

DV-425EBL\* Midnight Blue enamel, log-effect fire
DV-425EMJB Majolica Brown enamel, log-effect fire

DV-425EBK Black enamel, log-effect fire









### 500 MULTI-FUEL STOVES



The Dovre 500 is a masterpiece of casting proficiency and up-to-date technology. Not only does it offer classic stove appeal but it also features a separate ashpan door, for easier removal of ash, and a choice of four different versions. The multi-fuel model is available with either a fixed grate or a riddling grate. The woodburner, on the other hand, incorporates a special cleanburn system that is so effective it has been approved by the Department of the Environment for use in smoke control areas, and has the added option of a lattice door.

- All cast iron construction
- Woodburning or multi-fuel versions
  - Airwash system ■
- DV-500CBW and DV-500CBWL approved for Smoke Control Areas
- Colour matched enamel flue pipe also available
  - Maximum heat output: 8kW
  - High efficiency: up to 79%
    - Top or rear flue exit
    - Flue diameter: 150mm
    - Weight: 118 124kg

#### PRODUCT CODES

DV-500CBW Matt Black woodburner with cleanburn - clear door
DV-500CBWL Matt Black woodburner with cleanburn - lattice door

DV-500MFF Matt Black multi-fuel with fixed grate and airwash system - clear door

DV-500MFR Matt Black multi-fuel with riddling grate and airwash system - clear door

DV-HSF500 Heat shield\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to two thirds. Please refer to the instruction manual for further details.





## 500 ELECTRIC STOVES

No fuel to store, no cleaning out needed, just the enjoyment of a glowing coal-effect fire and flickering flames. A 2kW fan-assisted heater built into the base of the Dovre 500 Electric provides plenty of warmth whilst requiring no chimney. This means the stove can be sited anywhere there is a suitable wall socket and it can even be moved from room to room. So you can now have a real stove anywhere.

- All cast iron construction ■
- Superior fire effect with glowing coals and flickering flames
  - Fire effect can be used independently of heating
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Requires no flue, hearth or chimney
  - High efficiency: 99% ■
  - 1kW or 2kW fan-assisted output from cleverly concealed heater
- Plugs into standard 13 amp socket
  - Weight: 70kg ■

#### **PRODUCT CODES**

Dovre 500 Electric with lattice door

DV-500EL

Matt Black with lattice door







Traditional Matt Black



## 640CB WOOD STOVE

This well-proportioned stove features a side loading door as well as a front glass door and separate ashpan door. The side door allows logs of up to 50cm in length to be loaded into the stove so that less sawing is required when owners are providing their own timber. There is also a cleanburn system for improved fuel efficiency, an airwash system to help keep the door glass clean and a choice of top or rear flue outlets.

All cast iron construction ■

Woodburner

Cleanburn and airwash systems

Side door for loading

Maximum heat output: 9kW

High efficiency: up to 79%  $\ \blacksquare$ 

Top or rear flue exit ■

Flue diameter: 150mm

Weight: 158kg ■

#### PRODUCT CODES

DV-640CBW Matt Black woodburner with cleanburn and airwash

DV-AIRKIT-K01 Outside air kit





Traditional Matt Black







Dovre 700MFF

## 700 MULTI-FUEL & WOOD STOVES



Like the woodburning version of the Dovre 500, the larger 700CBW also incorporates special cleanburn technology that is so efficient the Department of the Environment has approved it for use in smoke control areas. There is also an airwash system to help keep the panoramic window clean.

Alternatively, you can select the 700 multi-fuel. This model has a fixed grate that is perfect for burning smokeless fuels, peat or logs and also includes Dovre's airwash system to ensure you enjoy the best possible view of your fire, as well as a useful side door for the loading of longer logs.

- All cast iron construction ■
- Woodburning or multi-fuel versions
  - Airwash system ■
  - DV-700CBW approved for Smoke Control Areas
  - High efficiency: up to 75% ■
  - Maximum heat output 11kW (CBW)/12kW (MFF)
    - Top or rear flue exit ■
    - Flue diameter: 150mm
- Weight: 180kg (CBW)/175kg (MFF)

#### PRODUCT CODES

DV-700CBW Matt Black woodburner with cleanburn and airwash
DV-700MFF Matt Black multi-fuel with fixed grate and airwash system





Traditional Matt Black



## 760CB WOOD STOVE

Big brother to the Dovre 640CB, the 760CB is a truly impressive stove. It features cleanburn and airwash systems, a side loading door as well as a glass front door, separate ashpan door and up to 11kW of heat. The side door allows logs of up to 52cm to be loaded - so there is less sawing if you are using your own wood.

All cast iron construction

Woodburner

Cleanburn and airwash systems

Side door for loading

Maximum heat output: 11kW ■

High efficiency: up to 75% ■

Top or rear flue exit ■

Flue diameter: 150mm

Weight: 180kg ■

#### PRODUCT CODES

DV-760CBW Matt Black woodburner with cleanburn and airwash

DV-AIRKIT-K01 Outside air kit







## 30 VINTAGE 30 WOOD STOVE

Anthracite

White enamel

With its compact lines and nostalgic retro style, the Vintage 30 may be the smallest in the new Vintage range, but this compact stove will always make a big impact.

The Vintage 30 has been designed with Dovre's Airwash technology to keep your window clean, so you can enjoy the beautiful rolling flame picture to its full potential. Available in a choice of either an Anthracite or White Enamel finish, the Vintage 30 is supported by 4 cylindrical legs that match your chosen finish. Alternatively, for something extra special, opt for the tablet stand to increase the visual impact.

All cast iron construction ■

Woodburner

Airwash system ■

Cleanburn technology

High efficiency: up to 80% ■

Maximum heat output 5kW ■

.

Top or rear flue exit ■

Flue diameter: 150mm ■


Weight: 95kg ■

Maximum log length: 30cm ■

#### PRODUCT CODES

DV-VIN30 Anthracite woodburner with cleanburn and airwash
DV-VIN30WH White enamel woodburner with cleanburn and airwash

DV-TBVIN30 Anthracite tablet stand
DV-TBVIN30WH White ename! tablet stand



## 35 VINTAGE 35 WOOD STOVE

The high efficiency Vintage 35 has a contemporary design which echoes the smooth, distinctive style of appliances from the 60s and 70s.

The state of the art Cleanburn combustion system and outstanding glass cleaning effects of the Airwash, deliver an impressive flame picture to create the perfect atmosphere in your home. Available in a choice of sophisticated Anthracite or on-trend White enamel finishes, with four cylindrical legs or a stunning tablet stand, there is a Vintage 35 woodburning stove to complement any stylish interior.

All cast iron construction ■

Woodburner

Airwash system ■

Cleanburn technology

High efficiency: up to 83% ■

Maximum heat output 7kW ■

Top or rear flue exit ■

Flue diameter: 150mm

iue didmeier: 130mm

Weight: 125kg ■

Maximum log length: 35cm ■

#### PRODUCT CODES

DV-VIN35 Anthracite woodburner with cleanburn and airwash
DV-VIN35WH White enamel woodburner with cleanburn and airwash

DV-TBVIN35 Anthracite tablet stand

DV-TBVIN35WH White ename! tablet stand

Also see picture on page 75







### 50 VINTAGE 50 WOOD STOVE

The Vintage 50 is the largest woodburning stove in the Vintage range and has a wide, landscape window through which to enjoy the captivating, rolling flames created by Dovre's Cleanburn system.

With 9kW of heating power, the Vintage 50 has the capacity to heat large rooms with ease. Its designer retro looks are perfectly complemented by a choice of either Anthracite or White enamel finishes creating a striking focal point for any interior space. The Vintage 50 is supported by four cylindrical legs, or to make an even bigger style statement, display it on the optional tablet stand.

All cast iron construction ■

Woodburner

Airwash system ■

Cleanburn technology

High efficiency: up to 84% ■

Maximum heat output 9kW ■

Top or rear flue exit ■

Flue diameter: 150mm

Weight: 155kg ■

Maximum log length: 50cm ■

#### PRODUCT CODES

DV-VIN50 Anthracite woodburner with cleanburn and airwash
DV-VIN50WH White enamel woodburner with cleanburn and airwash

DV-TBVIN50 Anthracite tablet stand
DV-TBVIN50WH White ename! tablet stand





## 1 CB ASTROLINE 1 WOOD STOVE

With superb modern styling, the Astroline 1CB takes the design of cast iron stoves into the 21st Century. The high elevations not only represent a style statement but they also permit extra heating capacity, as logs up to 37.5cm in length can be positioned in a 'wigwam' shape and provide up to 10kW of warmth; ideal for larger, open plan living spaces.

Further, the Astroline 1CB features all of Dovre's latest cleanburn technology, including a secondary combustion system to reduce soot emissions and to improve fuel efficiency, whilst a powerful airwash system helps to keep the huge ceramic glass panel clean.

Together, they create exceptional flames and a wonderful view of the fire.

All cast iron construction ■

Woodburner ■

Cleanburn and airwash systems

Maximum heat output: 10kW ■

High efficiency: up to 78% ■

Top or rear flue exit ■


'

Flue diameter: 150mm ■

Weight: 140kg ■

PRODUCT CODES

DV-ASTBLK Anthracite coloured woodburner with anthracite side panels, cleanburn and airwash system





Anthracite



Smaller sister to the Astroline 1CB and with similar contemporary styling, the Astroline 2CB features the latest cleanburn and airwash technology for impressive heating performance and efficiency. The large ceramic glass panel also provides the superb views and comforting ambience that only a real log fire can bring. For draught reduction, there is a model with built in outside air connection which, if required, can be used to draw combustion air directly into the appliance, not from the room, but from outside.

Pedestal and wood store versions are also available - please see pages 36 - 37.

All cast iron construction ■

Woodburner ■

Cleanburn and airwash systems

Outside combustion air facility\*

Maximum heat output: 8kW =

High efficiency: up to 78%

Top or rear flue exit ■

Flue diameter: 150mm ■

Weight: 140kg ■

#### PRODUCT CODES

DV-AST2BLK

 $An thracite\ coloured\ woodburner\ with\ an thracite\ side\ panels,\ clean burn\ and\ airwash\ system$ 

 ${\color{blue} {\sf DV-ASTRO2/L}} \qquad {\color{blue} *} {\color{blue} {\sf Anthracite}} \ {\color{blue} {\sf coloured}} \ {\color{blue} {\sf woodburner}} \ {\color{blue} {\sf with}} \ {\color{blue} {\sf anthracite}} \ {\color{blue} {\sf side}} \ {\color{blue} {\sf panels}}, \ {\color{blue} {\sf cleanburn}}, \ {\color{blue} {\sf airwash}} \ {\color{blue} {\sf system}}$ 

and outside combustion air connection







### 2cb ASTROLINE 2 WOOD STOVES

Retaining the same firebox characteristics, heat output and high efficiency of the original 2CB, the Pedestal and Wood Store variants offer two more styling options to attract the eye and make a bigger impact in the room. Whether for taller inglenooks or to stand proudly in the centre of a wall, the stylish 2CB stoves have the versatility to match and punctuate your own contemporary tastes.

For draught reduction, both models have a built in outside air connection which, if required, can be used to draw combustion air directly into the appliance from outside rather than from the room.

All cast iron construction ■

Woodburner ■

Cleanburn and airwash systems

Outside combustion air facility

Maximum heat output: 8kW ■

High efficiency: up to 78% ■

Top or rear flue exit ■

Flue diameter: 150mm ■

Weight: 158kg ■

PRODUCT CODES

DV-ASTRO2/P Anthracite coloured woodburner with pedestal base, cleanburn, airwash

and outside combustion air connection

DV-ASTRO2/WB Anthracite coloured woodburner with wood store base, cleanburn, airwash

and outside combustion air connection

Also see picture on page 67







Anthracite



# 3CB ASTROLINE 3 MULTI-FUEL & WOOD STOVES

With sleek and contemporary styling, Dovre's new Astroline 3 not only offers you an exceptional view of the fire but also a choice of two distinctive variants as well as either woodburning or multi-fuel versions of each. The state-of-the-art cleanburn combustion system provides stunning flames within the firebox and these can be seen from more than 180° thanks to the angled glass side panels and the large main window. Combustion and efficiency is also aided by an outside air connection which can reduce draughts within your room.

Choose from the Astroline 3CB with a pedestal or, alternatively, the design with a 'wood store' base.

All cast iron construction ■

Woodburning or multi-fuel versions ■

Cleanburn and Airwash systems

Outside combustion air facility

Maximum heat output: 10kW ■

High efficiency: up to 75%

Top or rear flue exit ■

Flue diameter: 150mm ■

Weight: 158 - 171kg ■

#### PRODUCT CODES

DV-ASTRO3CB/P Anthracite coloured woodburner with pedestal base, cleanburn and outside

combustion air connection

DV-ASTRO3CB/WB Anthracite coloured woodburner with wood store base, cleanburn and outside

combustion air connection

DV-ASTRO3MF/P Anthracite coloured multi-fuel with pedestal base, riddling grate, cleanburn and outside

combustion air connection

DV-ASTRO3MF/WB Anthracite coloured multi-fuel with wood store base, riddling, cleanburn and outside

combustion air connection

DV-HSF3.2 Heat shield\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to two thirds. Please refer to the instruction manual for further details.



# 4CB ASTROLINE 4 MULTI-FUEL & WOOD STOVES

Anthracite

Similar in looks to the Astroline 3CB, this model is also available in either woodburning or multi-fuel versions and with a choice of pedestal or wood store bases.

Featuring an extensive front window and glass side panels, you are able to enjoy to the full the exceptional swirling flames produced by Dovre's very latest cleanburn system. An external combustion air facility also helps to reduce draughts in the room as well as improve heating efficiency – and with up to 10kW of warmth that's a very cosy thought for any winter's night!

All cast iron construction ■

Woodburning or multi-fuel versions

Cleanburn and Airwash systems ■

Outside combustion air facility

Maximum heat output: 10kW

High efficiency: up to 75% ■

Top or rear flue exit ■

Flue diameter: 150mm ■

riue didineier. 150mm

Weight: 168 - 181kg ■

PRODUCT CODES

DV-ASTRO4CB/P Anthracite coloured woodburner with pedestal base, cleanburn and outside

combustion air connection

DV-ASTRO4CB/WB Anthracite coloured woodburner with wood store base, cleanburn and

outside combustion air connection

DV-ASTRO4MF/P Anthracite coloured multi-fuel with pedestal base, riddling grate, cleanburn

and outside combustion air connection

DV-ASTRO4MF/WB Anthracite coloured multi-fuel with wood store base, riddling, cleanburn and

outside combustion air connection

DV-HSF4.1 Heat shield\*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to two thirds. Please refer to the instruction manual for further details.





Anthracite







Astroline 350CB/3

### 350CB ASTROLINE WOOD STOVES

Designed to complement the most modern architecture and interior design, the Astroline 350CB brings its own unique style to the traditional world of stoves. The large flame view area, particularly on the version that has glass side panels, and sophisticated cleanburn will provide you with the home heating pleasure for which Dovre is famed.

All cast iron construction ■

Woodburner ■

Cleanburn and airwash systems ■

Maximum heat output: 6kW ■

High efficiency: up to 81% ■

Top or rear flue exit ■

Flue diameter: 125mm ■

Weight: 110kg ■

PRODUCT CODES - ASTROLINE 350CB

DV-350CBW Anthracite coloured woodburner with cleanburn and airwash system

PRODUCT CODES - ASTROLINE 350CB/3

DV-350CB/3 Anthracite coloured woodburner with glass side panels, cleanburn & airwash system





Anthracite





Astroline 360CB/3

### 360CB ASTROLINE WOOD STOVES

Wider than the Astroline 350CB, and with additional heating capacity, this superb stove also features Dovre's very latest cleanburn and airwash technology. So you will enjoy an impressive view of the flames - even more so with the 3 sided version - as well as all the comforts of a real fire.

All cast iron construction ■

Woodburner ■

Cleanburn and airwash systems ■

Maximum heat output:  $8kW \equiv$ 

High efficiency: up to 74%  $\,$ 

Top or rear flue exit ■

Flue diameter: 125mm ■

Weight: 110kg ■

PRODUCT CODES - ASTROLINE 360CB

DV-360CBW Anthracite coloured woodburner with cleanburn and airwash system

PRODUCT CODES - ASTROLINE 360CB/3

DV-360CB/3 Anthracite coloured woodburner with glass side panels, cleanburn & airwash system











# 2510 DOUBLE-SIDED CASSETTE FIRE

This superb cassette is a dedicated double-sided design that is ideal for new build and major renovation projects. It offers both excellent heating capacity (complete with thermostat and integral fan unit for quicker warming of the room) and great views of the fire to adjacent rooms using a central flue. The 2510 can burn wood or smokeless fuels and produces up to 9kW of heat.

#### PRODUCT CODES

DV-2510DSMF Anthracite coloured

woodburner with

fan-assisted air circulation

DV-K.10.25D/3 Optional 3 sided frame

DV-K.10.25D/4 Optional 4 sided frame

DV-K2100 Optional multi-fuel basket

**Note:** a standard 13amp domestic electricity supply is also required for this appliance to power the built-in electric fan.

All cast iron construction

Woodburner and multi-fuel option

Fan-assisted double-sided cassette

with thermostatic control

Maximum heat output: 9kW

High efficiency: up to 78% ■

Flue diameter: 150mm

Weight: 170kg ■





# 2520 CASSETTE FIRE

This large bow-fronted cassette features a sophisticated airwash system to ensure you enjoy a superbly panoramic view of the fire. Although a dedicated woodburner, the multi-fuel basket option also allows you to burn smokeless fuels should you wish. Whichever your preference, the 2520 will heat your room with a gentle stream of warm convected air or, by using the integral electric fans, a powerful flow of thermostatically-controlled heat.

All cast iron construction ■

Woodburner with multi-fuel option ■

Cleanburn and airwash systems

Fan-assisted convection system with thermostatic control

Maximum heat output: 11kW ■

High efficiency: up to 80% ■

Flue diameter: 150mm ■

Weight: 190kg

### PRODUCT CODES

DV-2520BS Matt black woodburner with

convection system and airwash system

DV-K20.25/3 Optional 3-sided frame

DV-K2100 Optional multi-fuel basket

**Note:** a standard 13amp domestic electricity supply is also required for this appliance to power the built-in electric fan.









Traditional Matt Black



# 1800 FIREPLACE

For smaller fireplaces and rooms, the Dovre 1800 has all the advantages of larger models, including high efficiency and excellent heat output, but with more compact dimensions. The 1800 is also offered with a choice of accessories to help you create your own individual fireplace setting.

#### **PRODUCT CODES**

DV-1800W

Matt black multi-fuel

Accessories

For canopies, base plinths and side panels, see pages

All cast iron construction

Multi-fuel

Suitable for use in smaller inglenooks
(with optional steel canopy, base plinth
and side panels) or as a built-in fireplace

Suitable for use with a room heating convection system

Maximum heat output: 8kW

High efficiency: up to 80%

Flue diameter: 150mm

Weight: 75kg ■





# 2000 FIREPLACE

Complete with integral riddling grate, the Dovre 2000 fireplace has been designed to burn wood or a variety of smokeless fuels. It also has the option of a back boiler that can provide hot water when the fire is being used.

All cast iron construction

Multi-fuel ■

Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace

Suitable for use with a room heating convection system

Maximum heat output: 11kW

High efficiency: up to 71% ■

Flue diameter: 186mm

Weight: 165kg

### PRODUCT CODES

DV-2000MFR Matt Black multi-fuel

Accessories For canopies, base plinths and side panels, see pages

64 & 65

DV-DGBS2 Optional back boiler (1.5kW)











Traditional Matt Black



# 2300CB FIREPLACE

As a dedicated woodburner the Dovre 2300CB is equally at home as a built-in fireplace with a sophisticated convection system or in a dramatic inglenook. Open the doors and enjoy the full ambience of a real fire, close the doors and a sophisticated airwash system keeps the glass cleaner for a full view of the fire. With these features and the inclusion of an aerated baffle for greater efficiency and lower emissions, the 2300CB takes crackling log fires into a new era.

#### PRODUCT CODES

DV-2300W

Matt black woodburner with cleanburn and airwash system

Accessories

For canopies, base plinths and side panels, see pages 64 & 65

All cast iron construction

Cleanburn woodburner

Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace

Suitable for use with a room heating convection system

Maximum heat output: 9kW

High efficiency: up to 77%

Flue diameter: 186mm

Weight: 150kg





# 2400CB FIREPLACE

This model can either be built in to a fireplace or combined with an optional canopy to create a stunning centrepiece for large fireplace openings and inglenooks. With a 9kW capacity and suitable for wood and smokeless fuels, the 2400CB incorporates a state-of-the-art cleanburn system and is offered in either standard or Panorama versions. The standard model features bi-fold doors with 4 windows whilst the Panorama has a single door with a large, elegantly curved window for maximum view of your fire.

All cast iron construction

Cleanburn woodburner

Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace

Maximum heat output: 9kW

High efficiency: up to 72% ■

Flue diameter: 188mm

Weight: 130kg

### PRODUCT CODES

DV-2400CB Matt Black woodburner with

cleanburn, airwash and

bi-fold doors

DV-2400CBPAN Matt Black woodburner with cleanburn, airwash and

Panorama door

Accessories For canopy and side panels see

pages 64 & 65.











Traditional Matt Black



# 2700 FIREPLACE

Whether you install the 2700 a part of an inglenook setting or build it into a fireplace this classic Dovre model allows you to enjoy all the character of a real fire with the doors open, or a slower, more efficient combustion with the doors closed. Inserted into a fireplace setting, you can even use the special convection chamber to duct warm air to outlet grilles above the fireplace or even distribute it to other parts of your home.

#### PRODUCT CODES

DV-2700W

Matt black woodburner with airwash system

Accessories

For canopies, base plinths and side panels see pages 64 & 65

All cast iron construction

Woodburner

Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace

Suitable for use with a room heating convection system

Maximum heat output: 10kW

High efficiency: up to 77%

Flue diameter: 186mm

Weight: 135kg









Traditional Matt Black



# 1800 GAS FIREPLACE

Whether built-in as part of a conventional fireplace or combined with one of Dovre's canopies to create an impressive inglenook setting, this superb fireplace offers traditional style and atmosphere with the convenience of gas. The gas fires can also be purchased separately to allow you to convert an existing Dovre fireplace from woodburning to gas.

#### PRODUCT CODES

Accessories

DV-1800NG Matt Black fireplace with mixed

coal/log-effect natural gas fire

DV-1800LPG Matt Black fireplace with mixed

coal/log-effect LPG fire

DV-1800PLUSNG Natural gas mixed coal and

log-effect fire conversion kit only

DV-1800PLUSLPG LPG mixed coal and log-effect

fire conversion kit only

For canopies, base plinths and side panels see pages 64 & 65

All cast iron construction

For use with a conventional chimney/flue system

Piezo ignition system requires no electricity supply

Whisper-quiet burners with adjustable heat output

Mixed log and coal-effect fire for a realistic flame pattern

Natural Gas and LPG versions available

Automatic safety shutdown in the event of pilot light failure or flue blockage

Energy input:

Nat. Gas: 10.5kW/LPG: 10.5kW

Maximum heat output: 2.5kW

Flue diameter: 150mm

Weight: 75kg ■





Anthracite

## 2700 GAS FIREPLACE

Enjoy all the convenience of a realistic gas fire with the traditional characteristics of a built-in or canopied fireplace in the excellent 2700 Gas. The fireplace itself boasts an all cast iron construction for authenticity and longevity whilst the mixed coal and log-effect gas fire creates the cosy glow, flickering flames and comforting warmth you would expect from genuine 'real fire' ambience. Heat output is adjustable up to 3.5kW.

- All cast iron construction
- For use with a conventional chimney/flue system
- Piezo ignition system requires no electricity supply
  - Whisper-quiet burners with adjustable heat output
- Mixed log and coal-effect fire for a realistic flame pattern
- Natural Gas and LPG versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
  - Energy input: 
    Nat. Gas: 16.5kW/LPG: 15kW
    - Maximum heat output: 3.5kW
      - Flue diameter: 200mm
        - Weight: 165kg

### PRODUCT CODES

Accessories

DV-2700NG Matt black fireplace with mixed

coal/log-effect natural gas fire

DV-2700LPG Matt black fireplace with mixed

coal/log-effect LPG fire

DV-2000PLUSNG Natural gas mixed coal and log-effect fire conversion kit only

DV-2000PLUSLPG LPG mixed coal and log-effect

fire conversion kit only


For canopies, base plinths and side panels see pages 64 & 65






## CANOPIES PLINTHS AND SIDE PANELS

Our range of canopies, plinths and side panels has been specially designed to complement Dovre appliances whether installed freestanding in an inglenook or a recessed fireplace. They are manufactured to the highest standards and help ensure a lifetime of fireside pleasure.



Non-standard heights available to special order. Please allow 3-4 weeks for delivery.

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CM1	Small 1800 Canopy	325	530	260	310	145
DV-CM2	Medium 1800 Canopy	700	685	260	460	235
DV-CM3	Tall 1800 Canopy	950	685	230	460	235
2000 8	& 2700 FIREPLACES					
CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS1	Small 2700 Canopy	360	710	410	400	260
DV-CS2	Medium 2000/2700 Canopy	685	900	350	570	300
DV-CS3	Tall 2000/2700 Canopy	1070	900	300	560	290
	NTRYMAN' FOR 2000 8 al 'olde worlde' styled canopy with he		d, black studded :	· ·	RASE	TOP
				strap trim TOP WIDTH	BASE DEPTH	TOP DEPTH
The Tradition	al 'olde worlde' styled canopy with he	avy, more rugge	d, black studded :	ТОР		
The Tradition  CODE  DV-CS5	al 'olde worlde' styled canopy with he	eavy, more rugge	d, black studded : BASE WIDTH	TOP WIDTH	DEPTH	DEPTH
The Tradition  CODE  DV-CS5	al 'olde worlde' styled canopy with he  DESCRIPTION  Countryman Canopy	eavy, more rugge	d, black studded : BASE WIDTH	TOP WIDTH	DEPTH	<b>DEPTH</b> 290
The Tradition CODE DV-CS5	al 'olde worlde' styled canopy with he  DESCRIPTION  Countryman Canopy  B FIREPLACES	HEIGHT 1070	d, black studded s BASE WIDTH 900	TOP WIDTH 300	DEPTH 560 BASE	<b>DEPTH</b> 290
The Tradition CODE  DV-CS5  2300C  CODE  DV-CCB	al 'olde worlde' styled canopy with he  DESCRIPTION  Countryman Canopy  B FIREPLACES  DESCRIPTION	HEIGHT  HEIGHT  HEIGHT	d, black studded s BASE WIDTH 900 BASE WIDTH	TOP WIDTH 300	DEPTH 560 BASE DEPTH	DEPTH 290  TOP DEPTH
The Tradition CODE  DV-CS5  2300C  CODE  DV-CCB	al 'olde worlde' styled canopy with he  DESCRIPTION  Countryman Canopy  B FIREPLACES  DESCRIPTION  Tall 2300 Canopy	HEIGHT  HEIGHT  HEIGHT	d, black studded s BASE WIDTH 900 BASE WIDTH	TOP WIDTH 300	DEPTH 560 BASE DEPTH	DEPTH 290  TOP DEPTH



### 1800, 2000, 2400 & 2700 FIREPLACES

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
OV-MBP	1800 Base Plinth (Black)	80	510	315
DV-SBP	2000/2700 Base Plinth (Black)	80	725	485
extra wide ir		., , , ,	•	
extra wide ir	nglenook.  DESCRIPTION	HEIGHT	WIDTH	DEPTH
extra wide in CODE DV-SP1	nglenook.  DESCRIPTION  1800 Side Panel Unit (Black)	., , , ,	•	
extra wide ir CODE DV-SP1 DV-SP2	nglenook.  DESCRIPTION	<b>HEIGHT</b> 470	<b>WIDTH</b> 530	<b>DEPTH</b> 290
For use with extra wide in CODE DV-SP1 DV-SP2 DV-SP3 DV-SP5	DESCRIPTION 1800 Side Panel Unit (Black) 2700 Side Panel Unit (Black)	<b>HEIGHT</b> 470 740	<b>WIDTH</b> 530 720	<b>DEPTH</b> 290 400

### **2300CB FIREPLACES**

PLINTH,	SIDE PANEL & FLUE ADAPTOR			
CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP2300	Side Panel and Base Plinth kit for 2300CB (Black)	520	670	535
DV-CFA	Flue Adaptor		71/4"- 8" (185 - 204)	

### **FLUE PIPE**

### MATCHING ENAMELLED FLUE PIPE

For the fully colour co-ordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe.

However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove.

The flue pipe diameters required for each model are given on each of the product pages.



127mm diameter	BLACK ENAMEL	MIDNIGHT BLUE ENAMEL	FOREST GREEN ENAMEL	IVORY ENAMEL
305mm (1') straight without door	DV-F512BLK	DV-F512BL	DV-F512GR	DV-F512IV
610mm (2') straight without door	DV-F524BLK	DV-F524BL	DV-F524GR	DV-F524IV
915mm (3') straight without door	DV-F536BLK	DV-F536BL	DV-F536 GR	DV-F536IV
915mm (3') straight with door	DV-FD536BLK	DV-FD536BL	DV-FD536GR	DV-FD536IV
90° bend without door	DV-FE590BLK	DV-FE590BL	DV-FE590GR	DV-FE590IV
135° bend with door	DV-FED545BLK	DV-FED545BL	DV-FED545GR	DV-FED545IV
Tee + end cap	DV-FT5BLK	-	-	-
125mm - 150mm increaser	DV-F5-6INCBLK	-	-	-
152mm diameter				
305mm (1') straight without door	DV-F612BLK	DV-F612BL	DV-F612GR	DV-F612IV
610mm (2') straight without door	DV-F624BLK	DV-F624BL	DV-F624GR	DV-F624IV
915mm (3') straight without door	DV-F636BLK	DV-F636BL	DV-F636GR	DV-F636IV
915mm (3') straight with door	DV-FD636BLK	DV-FD636BL	DV-FD636GR	DV-FD636IV
90° bend without door	DV-FE690BLK	DV-FE690BL	DV-FE690GR	DV-FE690BL
135° bend without door	DV-FE645BLK	DV-FE645BL	DV-FE645GR	DV-FE645BL

### PROFESSIONAL XQ CHIMNEY SYSTEMS

Stovax (Dovre's distributor in the UK and Republic of Ireland) also offer a comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ range carries a 10 year conditional warranty offering complete peace of mind.

For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com/chimneysystems.







# ACCESSORIES & STOVE CARE



### Care Of Your Stove or Fireplace

To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supply a wide variety of fireplace accessories.

Your Dovre retailer will be able to give you full details or you may view the complete range at www.stovax.com.



### Fireplace, Stove & Hearth Accessories

Included in the brochure is an outstanding selection of fireplace and stove tools. Expertly crafted with a variety of styling options and available in wrought iron, black, brass and chrome finishes, this exquisite range of accessories comprises individual tools alongside complete companion sets. There are also a number of classically designed pails, scuttles and holders for your coals, logs and kindling - functional and stylish accompaniments to your Dovre stove or fireplace.











### **Contemporary Steel Log Holders**

For more modern interiors, Stovax have developed a range of contemporary log holders in matt black steel. These are highly attractive and a superb pairing to Dovre's range of contemporary Vintage and Astroline series stoves.













### **Ironworks**

The latest addition to the accessories range, Ironworks is an outstanding collection of exceptional quality wrought iron log holders and fire tools, expertly crafted to timeless designs; truly the perfect complement to your Dovre woodburning or multi-fuel stove.




### **Product Improvement & Guarantee**

Dovre reserves the right to amend any specifications herein or to make any product design changes. Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.


Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas & electric 'engines' used in stoves and fires. The continuation of the warranty is dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk

### DIMENSIONS


### p4/5 | 250 WOOD & MULTI-FUEL STOVES




### p12/13 | 425 GAS STOVES




p6/7 | 280 GAS STOVES




p14/15 | 425 ELECTRIC STOVES




p8/9 | 280 ELECTRIC STOVES




p16/17 | 500 MULTI-FUEL STOVES



### p10/11 | 425 MULTI-FUEL STOVES




### p18/19 | 500 ELECTRIC STOVES



### **CORRECT INSTALLATION**

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. You may view/download complete installation instructions from our website: www.dovre.co.uk














## **DIMENSIONS**


### p32/33 | ASTROLINE 1CB WOOD STOVE



### p38/39 | ASTROLINE 3CB MULTI-FUEL & WOOD STOVES



p34/35 | ASTROLINE 2CB WOOD STOVE




p40/41 | ASTROLINE 4CB MULTI-FUEL & WOOD STOVES




p36/37 | ASTROLINE 2CB WOOD STOVE - PEDESTAL




p42/43 | ASTROLINE 350CB WOOD STOVE



p36/37 | ASTROLINE 2CB WOOD STOVE - WOOD STORE




p42/43 | ASTROLINE 350CB/3 WOOD STOVE





### **CORRECT INSTALLATION**


A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. You may view/download complete installation instructions from our website: www.dovre.co.uk






















### **DIMENSIONS**

### p58/59 | 2700 FIREPLACE\*







### p62/63 | 2700 GAS FIREPLACE\*





### p60/61 | 1800 GAS FIREPLACE\*





### **CORRECT INSTALLATION**

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. You may view/download complete installation instructions from our website: www.dovre.co.uk

\* Legs shown on these models are for use only when building the appliance into a fireplace. They are not intended for freestanding applications such as inglenooks.

All fire and flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features and the way in which the appliance is operated. Some of the room sets in this brochure have been created for aesthetic purposes. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

Please note: The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Apple Conservatories - www.appleconservatories.com • Ashore - 01392 477763 • Debenhams - www.debenhams.com • Eclectique - www.eclectique.co.uk

Fagins Antiques - www.faginsantiques.com • Farmington Stone Fireplaces - www.farmington.co.uk • Furniture Village - www.furniturevillage.co.uk • McBains Antiques - 01392 366261

Toby's Antiques - www.tobysreclamation.co.uk • House of Fraser - www.houseoffraser.co.uk • Laura Ashley - www.lauraashley.com • Merchant House Antiques - www.merchanthouseantiques.co.uk

Orange Tree - www.theorangetree.co.uk • Original Style - www.originalstyle.com • St Bridget Nurseries - www.stbridgetnurseries.co.uk • Amos Lighting - www.amoslighting.co.uk

Pilgrim Antiques - www.pilgrimantiques.co.uk • Pedlars - www.pedlars.co.uk













United Kingdom & Republic of Ireland distributors for Dovre:

### **Stovax Limited**

Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

Solid Fuel Trade Sales tel: 01392 474000 Gas & Electric Trade Sales tel: 01392 261900 Other depts tel: 01392 474011

Fax: 01392 219932 E-mail: dovre@stovax.com Internet: www.dovre.co.uk Your local Dovre retailer:

£2.00



DOVRE0911