

MULTIFUEL



TRADITIONAL CAST IRON STOVES

The finest multifuel and woodburning stoves from

 **FRANCO BELGE**

Franco Belge have over 80 years experience in designing and manufacturing some of the world's finest wood-burning and solid-fuel cast iron stoves.The Belfort, Montfort, Monaco, Savoy, Limousin, Camargue,Ardennes, Monte Carlo and Parisienne are part of the Franco Belge family. Our appliances feature our powerful airwash system to provide cleaner burning and to help keep the glass doors free of unsightly deposits.All Franco Belge stoves are constructed from top grade cast iron for a lifetime of dependable service.

THE ADVANTAGES OF CAST IRON

There are many benefits of cast iron over other materials - for example once the fuel has expired the stove will retain heat for much longer when compared with stoves constructed from other materials. Cast iron has also proved to be more durable under high temperatures. Unlike steel, cast iron can be moulded into a large range of textures and designs giving our stoves their traditional appeal and added beauty.



DEFRA EXEMPT

A DEFRA exempt woodburning stove means that you can now burn wood in smoke controlled zones and enjoy a roaring log fire without breaking any rules.We offer a choice of DEFRA exempt woodburners in our range of cast iron stoves - look out for the logo in this brochure.

HEAT OUTPUTS

Franco Belge stoves are all capable of producing a substantial level of heat. Please consult with your local dealer with regards to the most suitable heat output for your intended installation.

FUEL RECOMMENDATIONS

We do not recommend the use of house coal with our products.You are advised to check the compatibility of the fuel you intend to use with your chosen stove before you commit to buy. For independent advice on all fuel types, please contact the Solid Fuel Association on 0845 601 4406.

CE CERTIFICATION

In line with current building regulations your installer will need to check that the appliance he is installing is CE approved.All of our stoves are fully CE approved and the appropriate certification is available to your installer by calling ACR Heat Products on 0121 706 8266.



CONTENTS

STOVE	PAGE
Belfort	4 / 5
Montfort Classic	6 / 7
Montfort Elegance	8 / 9
Monaco	10 / 11
Savoy Classic	12 / 13
Savoy Elegance	14 / 15
Limousin	16 / 17
Camargue	18 / 19
Ardennes	20 / 21
Monte Carlo	22 / 23
Parisienne	24

5
YEAR
WARRANTY

Our 5 year warranty covers all stove body castings, it does not include consumable items such as glass and door seals.This 5 year warranty is only applicable when the stove is purchased from one of our recommended retailers. If a stove from any of our brands is purchased from a non-recommended retailer then only a 12 month warranty will be applicable as outlined below.

All stoves are covered by a 1 year castings warranty when purchased through a non-recommended retailer. The warranty covers the stove body castings only and does not include consumable items such as grates, firebricks, vermiculite panels, baffles, log guards, door rope and glass.

Any warranty claims should be addressed to your original supplier and accompanied with the date of purchase and serial number of the appliance.

Savoy Elegance



THE ENVIRONMENT

We all have an obligation to the environment and its future. Making informed energy decisions now will be reflected in the environment around us in the years to come.Whether we put another log onto the fire or turn the central heating up a couple of degrees has an impact on the environment beyond just keeping us warm.The government have promised to reduce CO2 emissions by 50% by the year 2050. By installing a Franco Belge woodburning stove,you will be able to do your part in helping the environment.

SEASONING & STORING LOGS

Franco Belge are conscious of the environmental issues effecting our world.We recommend that you burn seasoned wood purchased from a sustainable forest management scheme. Because trees contain a lot of water; freshly cut logs will contain about 50% water and will be difficult to burn. Wood felled during one winter should be seasoned over the following summer.The logs should be cut to the required lengths and stored outside but under cover so they are protected from rain. If possible, it is always best to season the wood for two years before burning to enable the moisture content to be reduced to about 20%. If using wood with a higher moisture content, tar will be produced during the burning process.

WHY USE FIREWOOD?

Wood is naturally environmentally friendly as it consumes more Carbon Dioxide whilst growing than it emits during burning. It is also one of the very few fuels that is renewable in our lifetime. Most other sources of power come from fossil fuels - these take thousands of years to evolve and are being consumed faster than they can be replenished by nature.

EFFICIENCY

Woodburning is highly efficient - a modern electricity generating power station is in fact 20% less efficient at producing energy than your Franco Belge stove.

WOOD AS A RENEWABLE FUEL

If using wood from a sustainable source, (the pruning and harvesting of overgrown woodlands) not only provides fuel for woodstoves but also promotes the growth of healthy trees that can absorb up to three times as much CO2 as is released when the wood is burned. Because of this fact,The Carbon Trust recognise that wood is the only “carbon neutral rated” fuel available. The following chart formulated by The Carbon Trust gives examples of how many Kg of CO2 is emitted into the atmosphere from the average family home in the UK. (for more information on The Carbon Trust please visit their web site www.thecarbontrust.co.uk).

FUEL	Kgs of CO ² per week
Electricity	128 Kgs
Coal	116 Kgs
Oil	88 Kgs
Gas	63 Kgs
Coal/Water 50% mix	58 Kgs
Wood	ZERO Kgs

WOOD AND ITS EFFECT ON YOUR LOCAL ENVIRONMENT

Firewood management can create rural employment, increase revenue and play a major part in reversing rural decline. By thinning and coppicing, traditional woodland management can be re-established. It is the decline of this type of practice that has led to the loss of some of our most attractive British woodland and the wildlife that relies upon it.



BELFORT

The smallest stove in the Franco Belge range, the Belfort is one of our most popular appliances. Its compact size and low heat output of 4.5 Kws makes this appliance perfect for smaller rooms or a secondary heat source on those chilly winter days. The Belfort is available in matt black stove paint and a wide range of colour enamel finishes, to enable you to match your stove to your interior decor scheme. As an optional extra, a brass trim door finish is available with the matt black model. The Belfort can be supplied with an optional glass lined hot water boiler this can be fitted at the time of installing your stove or can be added at a later date, should your circumstances require it.



- All cast iron construction for maximum heat transfer
- Airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- External riddling grate
- Top or rear flue outlet
- Retains heat long after the fire expires
- Glass lined hot water boiler option available
- Brass door finish option available



Belfort with optional brass finish door

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation.
(Please note that Charcoal enamel flue pipe is not available)



Matt black stove paint
Product Code 1340411Y



Charcoal enamel
Product Code 1340411E



Majolica green enamel
Product Code 1340411J



Sapphire blue enamel
Product Code 1340411I



Burgundy enamel
Product Code 1340411C



Ivory enamel
Product Code 1340411P




SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	4.5 Kws
Net Efficiency	74.3%
Gross Efficiency	67.6%
Max Hearth Temp	Less than 100°C
Weight	73 Kgs
Max Log Size	25 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear
Boiler Output*	8,000 Btu/hour

*Glass lined boiler is available as an optional extra on Belfort model.

Height from floor to centre of rear flue outlet: 409mm

Distance from rear of appliance to centre of top flue outlet: 131mm



All dimensions in mm



MONTFORT CLASSIC

One of Franco Belge’s best selling stoves the Montfort Classic is the bigger sister to the Belfort. It’s heat output of 5 Kws is the perfect size for medium sized rooms and can easily combat the cold weather. The Montfort Classic has a strong airwash system to help keep the glass clean and the wide door opening is perfect for fitting in those larger logs. The large ceramic glass provides excellent views of the flames for that cosy atmosphere. Available in traditional matt black stove paint and a wide range of beautiful enamel finishes for a look to complete your home.



- All cast iron construction for maximum heat transfer
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- External riddling grate
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating small to medium sized rooms



COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation.
(Please note that Charcoal enamel flue pipe is not available)



Matt black stove paint
Product Code 1340501Y



Charcoal enamel
Product Code 1340501E



Majolica green enamel
Product Code 1340501J



Sapphire blue enamel
Product Code 1340501I



Burgundy enamel
Product Code 1340501C



Majolica brown enamel
Product Code 1340501L




Ivory enamel
Product Code 1340501P

SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	5.0 Kws
Net Efficiency	75.2%
Gross Efficiency	68.4%
Max Hearth Temp	Less than 100°C
Weight	75 Kgs
Max Log Size	33 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 409mm
Distance from rear of appliance to centre of top flue outlet: 130mm



All dimensions in mm




MONTFORT ELEGANCE

The Montfort Elegance takes all the great characteristics of the original and builds on this heritage to create an all new and individual stove. As a 'room-sealed' stove, the Montfort Elegance can draw it's primary air-supply from outside your home. Now DEFRA* exempt, the Montfort Elegance can be used to burn wood in smoke controlled zones by simply adding the optional DEFRA* kit before installation. With a Vermiculite lining, powerful airwash system to keep the large glass door panel clear of deposits and a heat output up to 5 Kws the Montfort Elegance is the ideal stove for bringing a warm glow to any family living room. Available in traditional matt black and a wide range of stunning enamel finishes to complement your decor.

- All cast iron construction for maximum heat transfer
- DEFRA exemption allows you to burn logs and smokeless fuels in smoke controlled zones (requires installation of optional kit part no. KEA13405)
- Vermiculite lined for powerful combustion
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating small to medium sized rooms



OPTIONAL DUCTING KIT



An optional ducting kit is available for the Montfort Elegance to take advantage of its room sealed characteristics. This kit contains all the ducting components required to complete your room sealed stove installation. Ducting Kit Part Number: KPA13405

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available).



Matt black stove paint
Product Code 1340502Y



Charcoal enamel
Product Code 1340502E



Burgundy enamel
Product Code 1340502C



Majolica brown enamel
Product Code 1340502L



Ivory enamel
Product Code 1340502P

*DEFRA - Department for Environment, Food and Rural Affairs - please visit www.defra.gov.uk for further information.





S P E C I F I C A T I O N S

Fuel	Wood & solid fuel
Nominal Output	5.0 Kws
Net Efficiency	75.9%
Gross Efficiency	69.1%
Max Hearth Temp	Less than 100°C
Weight	81 Kgs
Max Log Size	33 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 409mm

Distance from rear of appliance to centre of top flue outlet: 137mm



All dimensions in mm



MONACO

One of our latest designs, the Monaco is justifiably popular and hailed as the new ‘classic’ due to its contemporary twist on the traditional Franco Belge period style. Now DEFRA* exempt, the Monaco is suitable for burning wood in smoke controlled zones. Equipped with a large expanse of glass which shows off the fire to full effect whilst a powerful airwash system ensures that the glass is kept as clear as possible. The Monaco is perfect for medium to large sized rooms, with a heat output of 6 Kws this stove will keep a house warm and cosy all winter. Available in matt black stove paint and a range of stunning enamel finishes to suit your home.



- All cast iron construction for maximum heat transfer
- DEFRA exemption allows you to burn logs in smoke controlled zones
- Vermiculite lined for powerful combustion
- Large ceramic glass door for superb views of the fire
- Efficient airwash system to keep the glass free from deposits
- Ability to burn either wood or smokeless fuel.
- Top or rear flue outlet
- Cast iron retains heat long after the fire has expired keeping your home warmer for longer
- Ideal for heating medium to large sized rooms
- Cleanburn Technology



COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation.
(Please note that Charcoal enamel flue pipe is not available).



Matt black stove paint
Product Code 1340605Y



Charcoal enamel
Product Code 1340605E



Majolica green enamel
Product Code 1340605J



Majolica brown enamel
Product Code 1340605L




Ivory enamel
Product Code 1340605P

*DEFRA - Department for Environment, Food and Rural Affairs - please visit www.defra.gov.uk for further information.

SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	6.0 Kws
Net Efficiency	75.7%
Gross Efficiency	68.9%
Max Hearth Temp	Less than 100°C
Weight	90 Kgs
Max Log Size	40 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 449mm
Distance from rear of appliance to centre of top flue outlet: 141mm



All dimensions in mm



SAVOY CLASSIC

The Savoy Classic is the bigger sister to the Montfort. The Savoy Classic benefits from having the largest ceramic glass door for a stove of it's size, this provides excellent views of the fire. The Savoy Classic has an output of 8 kws which makes it ideal for providing a substantial amount of heat in a variety of rooms. However due to its compact dimensions this appliance is suitable for a wide range of installations. An optional glass lined boiler is available for extra hot water in your home (top exit installations only, not suitable for side loading door model). The boiler can be installed at the same time as the Savoy Classic or at a later date should you decide that an additional boiler would be a useful in your home. For a unique look the Savoy Classic has an optional brass trim door on the matt black model only.



12

- All cast iron construction for maximum heat transfer
- Large ceramic glass door panel
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel.
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Suited to a large range of rooms and installation options
- Also available with additional side loading door
- Brass finish door option available on the matt Black model
- Glass lined hot water boiler option available



Savoy with optional brass finish door

13

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available).



Matt black stove paint
Product Code 1340805Y



Charcoal enamel
Product Code 1340805E



Sapphire blue enamel
Product Code 1340805I



Ivory enamel
Product Code 1340805P




Burgundy enamel
Product Code 1340805C

S P E C I F I C A T I O N S


Fuel	Wood & solid fuel
Nominal Output	8.0 Kws
Net Efficiency	72.6%
Gross Efficiency	66.1%
Max Hearth Temp	Less than 100°C
Weight	100 Kgs
Max Log Size (Standard)	40 cm
Max Log Size (Side Door)	42 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear
Boiler Output*	8,000 Btu/hour

*Glass lined boiler is available as an optional extra on Savoy model. Suitable for top exit installations only.

Savoy Classic



Savoy Classic with additional side loading door



Height from floor to centre of rear flue outlet: Standard 520mm, Side loading 560mm.
Distance from rear of appliance to centre of top flue outlet: 134mm



SAVOY ELEGANCE

Following on from the great popularity of the Savoy Classic we proudly introduce a new model to the range - the Savoy Elegance. DEFRA* exemption means that you can now burn wood in smoke controlled zones and enjoy a roaring log fire without breaking any rules, by simply adding the optional DEFRA* kit at the time of installation. The raised features on the door and sides of the stove have been smoothed with only the outlines remaining for a touch of period style with a modern edge. The door is hinged on the side creating a larger expanse of glass for excellent views of the flames. This larger door also allows you to burn logs up to 42cm long. The Savoy Elegance has a very powerful airwash which ensures the glass stays virtually free from soot and tar deposits. With a heat output of 8 Kws the Savoy Elegance is powerful enough to heat a wide variety of rooms. However its compact dimensions make it suitable for a wide range of installations.



- Ability to burn wood and smokeless fuel
- DEFRA exemption allows you to burn logs and smokeless fuels in smoke controlled zones (with the installation of optional kit part no. KEA13408)
- All cast iron construction for maximum heat transfer
- The largest ceramic glass door panel for a stove of this size
- Top or rear flue outlet
- Vermiculite lining for greater efficiency and reduced harmful emissions
- Powerful airwash system for cleaner glass
- Retains heat long after the fire has expired
- Suited to a large range of rooms and installation options



COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available).



Matt black stove paint
Product Code - MF: 1340809Y



Charcoal enamel
Product Code - MF: 1340809E



Ivory enamel
Product Code - MF: 1340809P



Burgundy enamel
Product Code - MF: 1340809C


*DEFRA - Department for Environment, Food and Rural Affairs - please visit www.defra.gov.uk for further information.

SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	8.0 Kws
Net Efficiency	78%
Gross Efficiency	70.1%
Max Hearth Temp	Less than 100°C
Weight	135 Kgs
Max Log Size	42 cm
Flue Diameter	125 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 520mm

Distance from rear of appliance to centre of top flue outlet: 132mm



All dimensions in mm



LIMOUSIN

The Limousin is one of the larger stoves in the Franco Belge range. The expansive glass door is kept as clear of deposits as possible by a strong airwash system. An outstanding feature of this stove is the additional side loading door which will enable you to fit in logs of up to 50 cm in length to produce maximum usage from your wood stocks. Options include a brass finish door to create an individual look in your home and a 10,000Btu/hr output boiler can be installed to provide plenty of hot water to your home - this can also be retrofitted at a later date if required. There is even a model with a lift up cast iron lid revealing a steel cooking hot plate, ideal for some traditional home cooking. The Limousin is ideal for larger rooms and for homes that require a substantial heat output.



- All cast iron construction for maximum heat transfer
- High 10 Kw output for heating larger rooms
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel.
- Top or rear flue outlet
- Side loading door allows longer logs to be burned
- Available with integral steel cooking hot plate with lift up cast iron cover - perfect for simmering a casserole, or simply boiling the kettle.
- Steel hot water boiler option available
- Brass finish door option available



The Limousin is also available with an integral steel hot plate with lift-up cast iron cover. Available with rear flue only.

COLOUR OPTIONS



Standard Limousin
Matt black stove paint
Product Code 1341012Y



Limousin with hot plate
Anthracite stove paint
Product Code 1341025F



Limousin with optional
brass finish door


SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	10.0 Kws
Net Efficiency	71.9%
Gross Efficiency	65.4%
Max Hearth Temp	Less than 100°C
Weight	160 Kgs
Max Log Size	50 cm
Flue Diameter	150 mm (inside dia)
Flue Location*	Top or rear
Boiler Output**	10,000 Btu/hour

*Limousin with integral cooking hotplate is available with rear flue only.
**Boiler is available as an optional extra on Limousin model.

Height from floor to
centre of rear flue
outlet: 575mm

Distance from rear of
appliance to centre
of top flue outlet:
198mm



All dimensions in mm



CAMARGUE

The Camargue has a different look to many of the Franco Belge stoves; with its distinctive brass coiled handles on the front and side loading doors. The additional side loading door comes as standard and makes easy work of loading longer logs. With an output of 10Kw and the benefit of a powerful airwash to help keep the glass free of deposits, means you not only have a focal point in the room but a thoroughly reliable heat source. Available in traditional matt black stove paint or Majolica green and Majolica brown enamel finish.

- All cast iron construction for maximum heat transfer
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel.
- Luxurious enamel or traditional black finishes
- Top or rear flue outlet
- High heat output for larger rooms
- Side loading door - ideal for longer logs
- Elegant styling creates a visual centrepiece



COLOUR OPTIONS



Matt black stove paint
Product Code 1341015Y



Majolica green enamel
Product Code 1341015J



Majolica brown enamel
Product Code 1341015L




SPECIFICATIONS

Fuel	Wood & solid fuel
Nominal Output	10.0 Kws
Net Efficiency	72.4%
Gross Efficiency	65.9%
Max Hearth Temp	Less than 100°C
Weight	130 Kgs
Max Log Size	41 cm
Flue Diameter	150 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre
of rear flue outlet: 480mm

Distance from rear of
appliance to centre of top
flue outlet: 160mm



All dimensions in mm



ARDENNES

With its substantial 11.3Kw output, the Ardennes is the perfect woodburning stove for heating larger rooms whilst enjoying a truly inspiring wood stove experience. Available with a choice of door styles, double lattice, double plain or a single plain door, and a range of beautiful enamel finishes and traditional black stove paint, the Ardennes can be easily styled to suit your home. Equipped with a range of advanced features including a powerful airwash system to help keep the glass clear of unsightly deposits and a tertiary baffle, the Ardennes is designed to keep you cosily warm during the harshest winters, whilst still being kind to the environment.

- All cast iron construction for maximum heat transfer
- Substantial 11.3 Kw heat output - ideal for larger rooms
- Powerful airwash system for cleaner glass
- Choice of door styles and enamel finishes to create the perfect stove for your installation
- Tertiary baffle for cleaner emissions - helping to protect the environment
- Retains heat long after the fire has expired
- Woodburning stove
- Top or rear flue outlet



Ivory enamel Ardennes with single door option

COLOUR OPTIONS



Matt black stove paint



Charcoal enamel



Forest green enamel



Majolica brown enamel



Burgundy enamel





Ivory enamel



SPECIFICATIONS

Fuel	Wood only
Nominal Output	11.3 Kws
Net Efficiency	73.3%
Gross Efficiency	66.7%
Max Hearth Temp	Less than 100°C
Weight	140 Kgs
Max Log Size	50 cm
Flue Diameter	200 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 614mm



All dimensions in mm



MONTE CARLO

The Monte Carlo is a real power-house stove with an impressive 10.5 Kws of heat output - enough to keep even larger rooms beautifully warm. The massive glass door, with powerful airwash system to keep it clean, affords a stunning view of the fire.

With both front and side loading doors, the Monte Carlo can accept logs up to 55cm long, this larger log size means the stove can burn for longer periods with less refuelling required. Available in traditional matt black and a range of stunning enamel finishes, this is a stove designed to create a centrepiece in even the most imposing of rooms.

- All cast iron construction for maximum heat transfer
- Powerful airwash system for cleaner glass
- Massive ceramic glass door panel for a spectacular real fire experience
- Front and side loading doors allow longer logs to be loaded
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating larger rooms



Additional side door makes easy work of loading longer logs

COLOUR OPTIONS



Matt black stove paint
Product Code 1341207Y



Charcoal enamel
Product Code 1341207E



Forest green enamel
Product Code 1341207B



Majolica brown enamel
Product Code 1341207L



Burgundy enamel
Product Code 1341207C



Ivory enamel
Product Code 1341207P




SPECIFICATIONS

Fuel	Wood only
Nominal Output	10.5 Kws
Net Efficiency	73%
Gross Efficiency	66.4%
Max Hearth Temp	Less than 100°C
Weight	180 Kgs
Max Log Size	55 cm
Flue Diameter	150 mm (inside dia)
Flue Location	Top or rear

Height from floor to centre of rear flue outlet: 664mm

Distance from rear of appliance to centre of top flue outlet: 221mm

Distance from rear of appliance to centre of top flue outlet when used in conjunction with ducting kit: 224mm



All dimensions in mm



PARISIENNE

The Parisienne is the epitome of quintessential French styling. With its decorative detailed trim this stove stands out from the competition. This appliance has two models with a heat output of 3 Kws and 5 Kws making them ideal in environments where a freestanding stove is the ideal solution for example hallways or conservatories.

The Parisienne is available in four stunning colour options all with a black enamel finish stove body with enamel finish trims in Majolica green, burgundy, Majolica brown and a simple matt black finish.



COLOUR OPTIONS

- Heat outputs of 3 and 5 Kws
- Ability to burn either wood or smokeless fuel
- Rear flue outlet
- Top loading
- Attractive three legged continental styling
- Two sizes available in all four distinctive colour options



Black enamel body
with green enamel detail
Product Code: 1240301J & 1240501J



Black enamel body
with burgundy enamel detail
Product Code: 1240301C & 1240501C



Black enamel body
with brown enamel detail
Product Code: 1240301L & 1240501L




Black enamel body
with matt black stove paint detail
Product Code: 1240301Y & 1240501Y

S P E C I F I C A T I O N S

	3 Kws Model	5 Kws Model
Fuel	Wood & solid fuel	Wood & solid fuel
Nominal Output	3.0 Kws	5.0 Kws
Net Efficiency	75.9%	74.7%
Gross Efficiency	69%	67.9%
Max Hearth Temp	Less than 100°C	Less than 100°C
Weight	80 Kgs	95 Kgs
Flue Diameter	125 mm (external dia)	125 mm (external dia)
Flue Location	Rear	Rear

*All Parisienne stoves are available with rear flue outlets only. Please note due to this appliance being top loading only allow 32cm clearance above the appliance to enable the lid to be opened.

Height from floor to centre
of rear flue outlet:
1240301 - 410mm
1240501 - 545mm



Depth and Width dimensions remain the same for both models

All dimensions in mm

Your local dealer:



FRANCO BELGE



ACR Heat Products Limited, Unit 1, Weston Works, Weston Lane, Tyseley
Birmingham B11 3RP, England

Tel: 0121 706 8266 Fax: 0121 706 9182

E-mail: enquiries@acrheatproducts.co.uk www.acrheatproducts.co.uk

Franco Belge, Staub Fonderie S.A. 59660 Merville, France. Tel: 0033 3 28 43 43 00, Télécopie: 00 33 28 43 48 61

Issue 19 / November 2012

All installations shown in this brochure are for illustrative purposes only. All actual installations must comply with the latest building regulations and Franco Belge installation manuals. Please note that due to limitations of the printing process, colour reproduction of enamel stoves may vary slightly from those shown. Please consult your dealer for more accurate colour matching. Franco Belge reserves the right to amend any specifications herein or to make any product design changes. The specifications, dimensions and information shown within our brochures are provided for information purposes only and are not binding. With the aim of constantly improving our equipment, all modifications considered necessary may be made without notice.